

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.


62.49

Barkemeyer Grain & Seed Co's

1921
Catalog



SEEDS



Dear Customer:—Here I am again, Barkemeyer's 1921 catalog, chuck full of my subject, "250 varieties of the best seeds grown," ready to tell my complete story in 30,000 Montana homes this season.

By way of introduction, let me make these few remarks:

Barkemeyer's field seeds are purchased in car-lots, giving you the benefit of low freight rates and quantity purchase price. They are carefully cleaned and tested at our new and modern plant during the Winter months, and packed ready for shipment to you in the Spring.

This year we have been extremely particular in purchasing our vegetable seeds from the most reliable growers' stocks. Our contracts call for strictly new crop seed, and in the case of such seeds as cabbage, when imported seed is known to be better than domestic, we have bought imported seed only. We did not buy the cheapest seed offered us by the growers—we bought the best.

Our business has grown beyond all expectations in the last five years. Why? Because we are filling a necessary place in the farming and business life of Montana, trying to do business on the square, with a fair margin of profit, and if we should fail to ship you good seeds or live up to this reputation in any way you will always find us ready and glad to make proper adjustments.

Your order will be most welcome, and will be given immediate and careful attention.

General Suggestions

ERRORS. We exercise the utmost care in filling orders, but in the rush of our busy season, errors will sometimes occur, in which case we shall appreciate being advised of the fact at once and proper correction will be promptly made. Please keep copies of your orders for comparison.

SEEDS BY EXPRESS OR FREIGHT. At prices quoted, we deliver seeds to Express or Railroad Depot in Great Falls. On everything quoted by the $\frac{1}{4}$ bu., bu., or 100 lbs., purchased in every instance is to pay the transportation charges. Please give full shipping instructions. In the absence of these particulars, we will use our best judgment.

PREPAY STATIONS. When you send in orders to go by freight or express be sure that you add money enough to pay the charges if your station is a prepay point, which is always the case where there is no regular agent.

OUR GUARANTEE. The seeds we sell are dependable. Should failure result through fault of the seeds we will gladly refund your money, but as seeds, plants and bulbs are subject to climatic and other conditions over which we have no control, after once being placed in the ground, therefore, **BARKEMEYER GRAIN & SEED CO.** give no warranty, express or implied, as to description, quality, productiveness or any other matter of any seeds, plants or bulbs they send out, and they will not be in any way responsible for the crop, and every order for articles named in this catalog will be executed on these conditions only. If the purchaser does not accept same on these terms, they are at once to be returned.

ORDER EARLY. It will be a great convenience both to our customers and to ourselves if orders are placed early. The aim is to fill orders the same day received, but during the rush season this is not always possible—thus the advantage of ordering early.

SEEDS BY MAIL. Our prices include the prepayment of postage by us on all seeds ordered by the packet, ounce, $\frac{1}{4}$ lb., $\frac{1}{2}$ lb., and lb., except pound lots or more of Peas, Beans and Sweet Corn, which are shipped at purchaser's expense for transportation.

PRICES. The prices named herein are those prevailing at the time this catalog goes to press at Great Falls and are subject to market fluctuations in value. For prices on Grass and Field Seeds, see the Price List enclosed in this catalog, or a new one will be sent any time, upon request.

HOW TO SEND MONEY. Money can be sent safely either by P. O. order, bank draft, express draft, express order or registered letter. If your order amounts to \$1.00 or more, it is best to send by one of the above methods. Postage stamps taken in amounts less than one dollar. Never send coin in the mail unless in registered letter.

LARGE ORDERS. Any dealer, market gardener, institution or individual wishing seed in large quantities, is requested to mail us a list of what is wanted, and we will promptly return it with the very lowest market prices. A letter of inquiry may save you dollars if you want to buy in quantity.

Parcel Post Rate

WEIGHT LIMIT. The weight limit within the first and second zones is now 70 lbs., and within all other zones 50 lbs.

DOMESTIC PARCEL POST RATES WITHIN THE U. S. AND POSSESSIONS. RATES FROM GREAT FALLS, MONT.

	First Pound or Fraction	Each Additional Pound or Fraction
First Zone, within 50 miles.....	5c	1c
Second Zone, within 50-150 miles.....	5c	1c
Third Zone, within 150-300 miles.....	6c	2c
Fourth Zone, within 300-600 miles.....	7c	4c
Fifth Zone, within 600-1,000 miles.....	8c	6c
Sixth Zone, within 1,000-1,400 miles.....	9c	8c
Seventh Zone, within 1,400-1,800 miles.....	11c	10c
Eighth Zone, all over 1,800 miles	12c	12c

OPENING PRICES OF FIELD SEEDS ARE GIVEN ON SPECIAL SHEET ENCLOSED IN THE FRONT OF THIS BOOK. THEY ARE SUBJECT TO LATER CHANGES.



What Our Glacier Brand Stands For

When you see the picture of the Glacier in our "Glacier Brand" trade mark you immediately think of this section of Montana where plants must be strong, vigorous and hardy in order to produce a crop. To produce such plants requires the very best of Northern grown seed. When you buy a packet of seed bearing this brand you may depend upon it being the best obtainable.

Help Us
to give the best
possible service
by ORDERING
EARLY.

Big Dollar Vegetable Collection

15 Packets

For one lone dollar you get enough seed to plant your entire garden.

This is a complete assortment especially selected for the small home garden. It is made up of the same high grade Glacier Brand tested seeds as those offered at regular prices and saves you 50% and the trouble of making the selection and writing the order of 15 items. Simply order "BIG DOLLAR COLLECTION."

15 PACKET GARDEN COLLECTION, \$1.00.

A complete assortment of the very best vegetables that can be grown in a Montana garden.

- 1 Pkt. Beans, Long Yellow Six Weeks.
- 1 Pkt. Beets, Market Gardeners.
- 1 Pkt. Carrots, Chantenay.
- 1 Pkt. Sweet Corn, Golden Bantam.
- 1 Pkt. Kohl Rabi.
- 1 Pkt. Lettuce, Prize Head.
- 1 Pkt. Lettuce, May King.
- 1 Pkt. Onions, Southport White Globe.
- 1 Pkt. Parsnip, Yellow Crown.
- 1 Pkt. Peas, Little Gem.
- 1 Pkt. Peas, Telephone.
- 1 Pkt. Radish, Early Scarlet Globe.
- 1 Pkt. Radish, White Icicle.
- 1 Pkt. Rutabaga, American Purple Top.
- 1 Pkt. Spinach, Round Thick Leaved.



Conover's Colossal Asparagus.

BARKEMEYER'S RETAIL STORE

15 THIRD ST., S.

OFFICE, WHOLESALE AND
MAIL ORDER DEPT.
523-525 FORD BLDG.

WAREHOUSE AND
CLEANING PLANT.
15 St. and 11 Ave. N.

Vegetable Seeds

OUR STOCK OF SELECTED VEGETABLE SEEDS IS ESPECIALLY ADAPTED TO THE TRYING CONDITIONS OF MONTANA CLIMATE.


Asparagus

Culture.—Sow early in spring in rows one foot apart; when one year old the roots may be taken up and transplanted in permanent beds, which should be made by taking out the soil to a depth of about 16 inches; fill in with six inches of well rotted stable manure, then six inches of soil somewhat firmed and place the roots on the same about 10 inches apart with the roots well spread out and cover so that the crown will be about four inches below the surface. Keep the surface well raked to keep down the weeds until the shoots appear.

CONOVER'S COLOSSAL. A standard sort, color deep green, quality first-class; spreads less than other sorts. Yields from 15 to 30 sprouts from a single plant.

PALMETTO. Mammoth in size, light green, strong and quick in growth, producing large thick shoots with a distinctly pointed head on tip.

FOR PRICES SEE PAGE 28.



Stringless Green Pod.

Dwarf Wax Varieties

CURRIE'S RUST PROOF BLACK WAX. A very early, beautiful wax bean, bearing an abundance of crisp, tender, stringless pods, free from rust. Of excellent quality, delicious flavor. Seed kidney-shaped.

DAVIS WHITE WAX. A very productive sort, pods long, straight and thick, beans white, kidney-shaped.

IMPROVED GERMAN BLACK WAX. Vines medium sized, very vigorous and hardy. Buds medium length, curved, cylindrical, fleshy and of a clear yellowish-white. Seed small and black.

IMPROVED GOLDEN WAX. The plants are hardy and bear an abundance of straight, broad flat pods. Seed white, with brown or black markings near the eye.

Pole Beans

KENTUCKY WONDER. Vines vigorous, climbing well, and very productive, bearing its pods in large clusters; blossoms white; pods green, very long, often reaching 9 to 10 inches. Nearly round when young and very crisp, although as they reach maturity they become irregular and spongy. Dry beans long, oval, dun-colored.

SCARLET RUNNER. Height, 10 feet, with dazzling scarlet flowers from July to October; both ornamental and useful. It is used either as a string or shelled bean.

Lima and Field Beans

BURPEE'S BUSH LIMA. The bushes are 18 to 20 inches high, of stout, erect growth, branch freely, forming large circular plants from two to three feet in diameter. Very prolific, bearing large, beautiful pods well filled with large beans of the same size and delicious flavor as the pole variety.

CHOICE NAVY. Our stock of this well known variety has been carefully selected and cleaned and will be found far superior to beans commonly offered as "Navy Stock."

FOR PRICES ON ALL VARIETIES OF BEANS
SEE PAGE 28.



Burpee's Bush Lima.

Our Northern Grown Beans
Produce Far Better Results than
Ordinary Seed.

Beans

Culture.—Beans should not be planted until the ground is warm, as cold and wet weather will cause the seed to rot. For garden culture plant four or five seeds in hills one foot apart, and the rows 18 inches apart. For field culture make the rows three or three and one-half feet apart, and cover with two inches mellow soil. Do not hoe or cultivate while the plants are wet with dew or rain, as getting the leaves bespattered with earth causes rust, which injures the crop. Note that we are listing beans by weight instead of measure. One pound of beans is a little less than one pint.

Dwarf or Snap, Green Pod Varieties

STRINGLESS GREEN POD. The finest green pod, stringless bean. The earliest and hardiest of all green-podded sorts and produce large, handsome pods, some of which measure fully six inches in length. The plants bear profusely the beautiful green pods, which are perfectly round, straight, broad, tender, brittle, finest flavor, very fleshy and entirely stringless.

BLACK VALENTINE. This excellent variety is a great improvement over the old standard early Red Valentine, being one-third longer than that variety, with pods perfectly round and straight and of excellent quality. It also has the additional advantage of being suitable for both early and late planting and is extremely hardy. It will withstand early and late frost, is an excellent shipper, a large yielder, and of very handsome appearance.

LONG YELLOW SIX WEEKS. The vine is large, vigorous, branching and productive, with large leaves. Pods long, straight, thick, flat in shape, green in color, of good quality when young and fair as they near maturity. Is ready for picking 45 days from planting.



Black Valentine.

Beets

One ounce of seed will sow fifty feet of drill; six pounds per acre.

Culture.—Sow in drills 15 to 18 inches apart as early as the ground can be worked in the spring. When the plants are large enough to handle, thin to four or five inches apart in the row. The soil best suited for the Beet is that which is rather light, provided it is thoroughly mixed with light manure. If wanted very early, sow in hotbeds and transplant; but for main crop sow in the spring, as soon as the ground is fit to work, in drills 18 inches apart, one inch deep. When the plants are three or four inches in height, thin out so that they stand three or four inches apart. Keep free from weeds by frequent hoeing and hand weeding.

MARKET GARDENERS. This is the ideal beet for market gardeners and the home garden. It is very symmetrical, with small tap root; color outside is deep blood red; inside layers of blood red and light red alternately. When cooked they are a beautiful dark red throughout, fine grained and unsurpassed in quality. One sowing only is necessary to produce early beets for market and main crop for winter use.

DETROIT DARK RED. Roots globular; smooth with small tops, skin blood red; flesh dark red, zoned with a lighter shade; tender and sweet.

EARLY BLOOD TURNIP. Roots turnip-shaped, deep crimson, tender and sweet.

EDMAND'S IMPROVED BLOOD TURNIP. A handsome, clean, turnip-shaped blood beet. Skin and flesh are of a deep blood red, sweet and tender in quality, and unsurpassed for solidity and keeping purposes. Tops are small, allowing them to be grown close together. They mature early and give satisfaction as a bunching sort.

EXTRA EARLY EGYPTIAN. The earliest turnip-shaped, small, symmetrical, deep blood color.

SWISS CHARD OR SPINACH BEET. This variety does not produce an edible root like the regular garden beet, but is highly esteemed for the broad, white leaf stalks and midribs which are cooked and served in the same manner as asparagus, making a most delicious vegetable. The leaves are also cooked like spinach and considered equally as palatable.

Selected varieties, carefully grown superior strain and thoroughly tested.



Improved Mammoth Long Red Mangel.

Sugar Beets

GIANT FEEDING SUGAR BEET OR HALF SUGAR WHITE MANGEL. This magnificent sugar Beet, while giving nearly as large a yield of easily grown and harvested roots as a crop of Mangels, supplies a food of very much higher nutritive value, the roots for feeding purposes being really more valuable, pound for pound, than those of the very best strains of Sugar Beets, and the yield under equally favorable conditions being more than double. The roots grow partly out of the ground and because of this and their shape the crop can be harvested and stored at less expense than any other root crop. We are certain that everyone who plants this variety and grows it with care will be much pleased with the crop.

WANZLEBEN. This variety at the present time has probably a wider cultivation than any other Sugar Beet. It may be distinguished by its brighter color and its lighter colored leaves, which are beautifully undulating and scalloped about the edges. While not, as a rule, equal in saccharine richness, it is considerably more productive.

Mangel Wurzel


Every farmer knows the value of the Mangels for stock-feed, and every year an increasing number of farmers are raising an acre or more of the roots. The roots may be stored for winter use, and they make a desirable change in feed for dairy cattle, improving their condition and increasing the milk-flow.

IMPROVED MAMMOTH LONG RED. The roots are very large, uniformly straight and well formed. Color deep red, roots solid, tops small. Roots attain a large size. Produces an immense bulk and tonnage.

IMPROVED GOLDEN TANKARD. We recommend it as the best Mangel by far for dairy farmers. It combines apparently all the fine points possible to condense into a mangel. The color is a deep rich yellow. The flesh is firm and solid and a rich golden yellow in color. On account of its shape enormous crops are grown and it is easily lifted from the ground.

GIANT RED ECKENDORF. Very popular in Europe and America. Roots are smooth, long and cylindrical in shape. Very heavy, weighing up to 15 or 20 pounds each. Flesh is firm, crisp and solid; white in color and of high feeding value.

FOR PRICES ON ALL BEETS AND MANGELS SEE PAGE 28.



Market
Gardener's
Beet.

Listen: Do you know that Mangels and Stock Beets yield from 10 to 50 tons per acre and the feeding value pound for pound is about equal to grain? It's worth trying a few acres.



Copenhagen Market Cabbage.

Late or Winter

SUREHEAD. Heads are large, round, flattened, uniform, very hard, firm and sweet, and average from ten to fifteen pounds each. Certain to head, a good shipper and fine keeper.

PREMIUM LATE FLAT DUTCH. A low-growing variety, head large, bluish-green, round, solid, broad and flat on top; an excellent fall and winter variety, and a good keeper. It is a sure header. Our stock has been grown from carefully selected heads, and we consider it superior to any other strain of Flat Dutch Cabbage on the market.


IMPROVED AMERICAN DRUM-HEAD SAVOY. Plant is vigorous with short stem, has densely crumpled leaves and when touched by frost is sweet, delicate and delicious. The head is large and very solid.

HOLLAND. Most remarkable late cabbage yet produced; head hard and solid—fine grained and tender. Entirely distinct in color. Very finest short-stemmed type. The heads, which are very solid and deep, are of medium size, averaging about 8 pounds in weight; in color they are entirely distinct; in point of quality they have no superior and they keep better than any other sort, head being as perfect and solid when taken up in the spring as when put away in the fall.

DANISH SHORT STEM. An earlier, shorter stemmed improved strain of the Danish Ball-head Cabbage. The heads are hard and very solid and mature about two weeks in advance of the Ball-head. They also average a little larger and heavier. The inner leaves are blanched almost pure white, are of sweet flavor, crisp and tender. It is less liable to blight and shows vigorous growth even in the hot summer.

PRICES ON CABBAGE GIVEN ON PAGE 28.

We carry a select lot of
Cabbage Plants
 in our Retail Seed Store
 in season



Early Winningstadt.

Cabbage

Cabbage will do well in any deep rich, well-drained and abundantly manured soil. Sow seed of the early varieties in hotbeds about February first, and prick out into other hotbeds as soon as the plants are strong enough, or set in cold frames in March. When danger of frost is past, transplant to open ground. The late or winter crop seed can be sown in seed beds in May and plants set in the field in July. Late varieties are usually planted in rows 30 inches apart with 2 feet between plants; early sorts may be set 15 to 24 inches or even closer. One ounce of seed will produce about 2,500 plants.

Extra Early

WASHINGTON WAKEFIELD. No other Cabbage of which we have knowledge has aroused such enthusiasm among cabbage growers as has Washington Wakefield. It has the same general characteristics of other Wakefield cabbages, the heads being conical with a rounded or blunt point. It is, however, far superior to other strains of Wakefield cabbage, being nearly double the size and of better quality, and at the same time is fully as early. It has fewer outer leaves, permitting close planting, so that more heads can be grown to the acre than with other sorts.


EARLY WINNINGSTADT. Very early. The leaves are dark green and tightly folded, making it the hardest of early varieties. It seems to suffer less from cabbage worm than most sorts. Heads are regular, conical, and keep well.

COPENHAGEN MARKET. The finest, large, round-headed, early cabbage. It is desirable because of the uniform maturity, permitting the grower to gather and market the crop at least expense. Heads average about ten pounds each, are hard and solid with small core. The quality is extra fine and sweet.

Second Early

EARLY SUMMER. Deservedly popular with market gardeners throughout the country. It forms large, solid, round, flattened, compact heads of excellent quality, tender and sweet. The heads average over double the size of the Jersey Wakefield, weighing eight to ten pounds each, while it matures only ten or twelve days later.

ALLHEAD EARLY. Earlier than any other large cabbage, larger than any other early cabbage. Heads deep flat, solid, uniform and very tender. An all-the-year-round cabbage.



Premium Late Flat Dutch.

Carrots

One ounce will sow 100 feet of drill; 3 to 4 pounds per acre.

Culture.—Carrots to grow to perfection, require a deeply cultivated, rich and well pulverized soil. Sow early in the spring as soon as the soil is fit to work, in drills 15 to 18 inches apart, covering one inch deep and press the soil firmly over the seed. If desired to cultivate with horse, make rows three feet apart.

CHANTENAY. The flesh is of a beautiful, rich orange color and of the finest quality; it is medium early, with small tops. Roots taper slightly, but are uniformly stump-rooted. Gives great satisfaction in both market and private garden.

DANVER'S HALF-LONG. The best for general crop. Will yield most per acre, and most profitable for market gardeners. It is grown largely everywhere on account of its great productiveness and adaptability to all classes of soil. Tops medium size, roots deep orange, tapering uniformly to a blunt point, stump rooted, smooth and handsome; flesh sweet, crisp, and tender. Although of medium length, it gives the largest yield of any carrot. It is second to none.

EARLY SCARLET OR SHORT HORN. Color deep orange; flesh fine grained and of agreeable flavor; tops small; has a short, stump-shaped root. Grows well in shallow soil; one of the best for early out-door planting and for table use.

OXHEART OR GUERANDE. This Carrot is intermediate as to length between the half-long varieties (such as Danvers) and the Scarlet Horn Carrots, but is much thicker than the latter, being at the top from four to five inches in diameter. Flesh bright orange, fine grained and sweet.

MASTODON CARROT. (For feeding stock.) Not a table carrot, although the flesh is remarkably firm and sweet. Is not a carrot for the market gardener, but it is emphatically the carrot for the farmer, and once used, nothing else will take its place. Mastodon is the heaviest cropping

carrot grown. Flesh is white, crisp and solid and very sweet in flavor. Roots are short and very heavy at the shoulder, rendering them easily harvested. Too much can scarcely be said of their size and great productiveness. The roots frequently measure 15 to 20 inches in circumference, and often yield 18 to 40 tons per acre.

LARGE WHITE BELGIAN. Grows one-third out of the ground. Root pure white, green above ground, with small top. Flesh rather coarse. Roots on light, rich ground grow to large size; fine for stock feeding.

HALF LONG SCARLET NANTES, STUMP ROOTED. Tops of medium size; roots cylindrical, smooth, bright orange; flesh orange, becoming yellow in center, but with no distinct core. Of the finest quality and one of the most symmetrical and handsome of the medium sized sorts; excellent for the market or home garden.

FOR PRICES SEE PAGE 28.



Golden Self-Blanching Celery.

yellow. Tender and sweet and free from stringiness; flavor rich.

WHITE PLUME. The earliest known variety. Popular on account of its earliness and the ease of its culture.

FOR PRICES SEE PAGE 28.

Cauliflower


Culture.—Same as Cabbage. Sometimes in the South the seed is sown in September and the young plants wintered over to save time in the spring. Pin or tie the leaves together after the head or flower has begun to form. This will preserve the snowy whiteness. An ounce of seed will produce about 3,500 plants if carefully managed.

MODEL. In competition with all other strains the Model Cauliflower has won the approval of critical gardeners, being the earliest and best sort grown. It is suitable not only for early use, but is superior for late planting. The heads are hard and solid and do not spread. No other equals it in purity of color, it being clear snow white. The heads are large—from 9 to 12 inches in diameter, and weigh from 4 to 8 pounds. On account of its close growing, compact habit, many more plants may be grown on a given area than of the late spreading sorts.

SNOWBALL. Forms snow-white heads six to ten inches in diameter, of good quality. Its close-growing habit permits more heads to a given area than the later maturing sorts. Excellent for both early and late planting.

EXTRA EARLY DWARF ERFURT. The finest strain procurable. Plants dwarf and compact, forming good sized heads; very fine stock.

FOR PRICES SEE PAGE 28.



Chantenay Carrot.

Celery

GOLDEN SELF-BLANCHING. This splendid variety is without doubt the most popular celery grown. It is a self-blanching sort, for with a little banking or covering, even the outer ribs assume a beautiful golden-yellow, while the heart or vine stalks are deliciously tender, brittle and sweet. This variety is being extensively grown, not only on account of its ease of culture, but for its superior quality. It is not quite so early as the White Plume but is of heavier and more compact growth, the stalks being



Model Cauliflower.



Peep O'Day Sweet Corn.

Sweet Corn

While Sweet Corn is often grown in hills, experienced gardeners prefer drills. Make the first planting the latter part of May in a rich, warm soil; successive sowings should be made at intervals of about ten days until July. Sow in drills from $2\frac{1}{2}$ to $3\frac{1}{2}$ feet apart, according to the height of the variety, and thin out the plants to 10 or 12 inches apart in the row. If grown in hills, 3 or 4 feet apart each way gives ample space; never allow more than four plants to remain in one hill.

One quart of seed will plant 150 feet of drill, or about 200 hills.

PEEP O'DAY. Peep O'Day Sweet Corn is one of the earliest varieties grown. It is ten days to two weeks earlier than most other varieties and is not only early, but sweet and luscious. It is especially desirable for planting in regions of early frosts and short summers.

EARLY MINNESOTA. A standard early sort of excellent quality, especially desirable where seasons are short. The ears bear 8 to 10 rows of large white grains. This variety is popular on account of its great productiveness. Excellent for market, home and canning use.

EXTRA EARLY WHITE CORY. One of the earliest varieties, well and favorably known in all parts of the country. It succeeds well where seasons are short, and can be recommended for general planting. Ears six inches long, with eight rows of broad grains.

GOLDEN BANTAM. This variety is nearly as early as Peep O'Day, and is, we consider, the richest in flavor of all varieties. The kernels are large and creamy-yellow. Those who try it will always demand "the yellow corn that was so rich and sweet in flavor." It is very hardy and productive. 5 to 10 cents per dozen premium may be obtained over the market price for other sorts. Include Golden Bantam in your order.

Corn Salad, or Fetticus

LARGE-LEAVED. Sow very early in spring in shallow drills one foot apart. For an early spring crop, sow in September and winter over in cold frames, or cover with litter. One ounce of seed will sow 100 feet of drill.

Chicory

The dried and prepared roots are much used as a substitute for coffee, and the young leaves may be used as a spring salad. Our stock is the improved type, with very much larger, smoother, whiter and proportionately shorter roots than the old kind.

Sow seed as early in spring as the ground can be prepared, in rather light, moderately rich soil, in drills two to two and one-half feet apart for either garden or field culture. When the plants are sufficiently large, thin to six inches apart in the row and cultivate well.

Chervil

CURLED. An aromatic sweet herb that resembles parsley. The young leaves are used in soups and salads. Sow evenly in May, in drills $\frac{1}{2}$ inch deep, 1 foot apart.

TUBEROUS-ROOTED. Sow in May or June, after treatment same as for carrots.


Pop Corn

WHITE RICE. Everybody knows the old variety named the White Rice. The grains are sharply pointed and the ear is a handsome one.

Celeriac

Turnip-rooted Celery.

LARGE ERFURT. Large, smooth, excellent flavor. Grown for its roots for salads, soups, stews. No earthing is required for this celery, as the roots are the edible portion of the vegetable. Sow the seed the same as celery, and transplant into rows two feet apart, 6 to 8 inches in the row.



Golden Bantam Sweet Corn.

Cucumbers

Four oz. of seed to 100 yards of row; 3 lbs., to the acre.

Culture.—For earliest use, sow the seed in the hotbed or greenhouse in February or March, in warm loam where the temperature is about 90 degrees; cover $\frac{1}{2}$ inch deep, and when the plants are of fair size, transplant in hills (made in greenhouse), 4 plants in a hill, so that when the weather permits the whole hill can be moved to the open ground. Plant for general use in the open ground about June 1st. In hills 6 feet apart each way, and thin to three plants to a hill. A sprinkling of Slug Shot will keep off the striped bug.

GLACIER. This cucumber has a great many points of superiority; it is the earliest white spine cucumber suitable for table and market purposes. It is one of the greatest producers, and at all stages is the handsomest and most attractive of all American sorts. The quality is fine, being brittle and crisp, with a delicate flavor, entirely devoid of the bitter taste so frequently noticed in other varieties.

COOL AND CRISP. A strain of white spine similar to the Arlington but larger. Fruit long, cylindrical, dark green. Fine for table use.

DAVIS PERFECT. A carefully selected strain of Extra Long White Spine, suitable for both greenhouse and outdoor culture. The fruits are of large size, splendid quality and fine color. The flesh is tender, brittle and of excellent flavor. A favorite for market use.

EARLY FRAME OR SHORT GREEN. Used for table and pickling. Very productive. Fruit straight, bright green.

WHITE SPINE EVERGREEN. A fine strain, bearing blue green fruit, often from ten to twelve inches in length, smooth, round, and of fine quality. Especially recommended for hotbed culture. The seed offered has been taken from fruit selected for its ideal form, uniformity in size, shape and color, and general appearance. A very satisfactory variety in every way. One ounce sows 60 hills; 2 to 3 lbs. per acre.

SEE PRICES OF CUCUMBER SEED ON PAGE 28.

Egg Plant

Culture.—Egg plant seed germinates slowly and should be started in a hotbed. When transplanting, set thirty inches apart, and pinch off the larger leaves. Hoe frequently and hill up gradually until the plants begin to bloom.

IMPROVED NEW YORK SPINELESS. The handsomest type and most perfect strain of Egg plant in existence. The plants are stocky and low branching, stalks entirely free from spines, and produce continually handsome, deep purple fruits of largest size and most perfect symmetry. The plants usually bear eight to ten immense fruits of the finest quality before being killed by frost. See page 28 for prices.

Endive

GREEN CURLIED. Leaves finely cut; a most desirable sort for home use or market garden.

WHITE CURLIED. Very beautiful; leaves need no blanching; plants are moderately dense; midrib is yellow and leaves white.

See Page 28 for Prices.



Glacier Cucumber.

Garlic

A bulbous rooted plant of the onion family with a strong penetrating odor but much esteemed by some for flavoring soups, stews, etc. We frequently receive orders for garlic seed but we can supply bulbs only. Prepare ground the same as for onions, plant bulbs in drills eight inches apart and four inches apart in row, covering two inches deep. When the leaves turn yellow take up the bulbs, dry in shade and lay them up in a dry loft as you would onions.

Kale or Borecole

DWARF GERMAN (Dwarf Curled Scotch Kale). This is more hardy than cabbage and makes excellent greens for winter and spring use. The leaves are curly, bright green, very tender and delicate in flavor.

TALL GREEN CURLLED SCOTCH. Grows up to three feet high, bearing long, light green leaves, finely curled at the edges. Extremely hardy, being improved rather than injured by a moderately heavy frost.

Kohl Rabi

Culture.—Sow the seed in the spring in drills three-fourths of an inch deep and two feet apart, and when the plants are a few inches high thin to 15 inches. Cultivate same as beets. Two pounds of seed required per acre.


EARLY WHITE. For forcing. Very early, small, handsome, white bulb. Best early variety for the table. See page 28 for prices.

Leek

LARGE AMERICAN FLAG, or "BROAD LONDON." A large growing variety. Hardy and productive. A favorite both for market and home garden. See page 28 for prices.



Improved New York Spineless Egg Plant.



Early
Curled Simpson
Lettuce.

Heading Varieties

IMPROVED HANSON HEAD. In all respects one of the very best outdoor varieties. It is very hardy and will stand extremes of weather better, perhaps, than any other of the "crisp heading" sorts. In color it is an attractive green. The head, which attains a large size, is hard, tender and crisp, with a blanched appearance in the center. It is of capital table quality, wholly free from bitterness.

MAY KING. An unequalled variety for early spring planting in the open ground. It is extremely hardy and very quick growing. The plants grow six to seven inches in diameter, with the outer leaves folded closely, forming the plant into a solid head. The outer leaves are light green, slightly tinged with brown; the inner leaves are bright yellow and of a fine, rich, buttery flavor. Each head will weigh nearly a pound, on the average.

SEE PAGE 29 FOR PRICES.

Mustard

Mustard is not only used as a condiment but the green leaves are used as a salad or cut and boiled like spinach. Sow in drills about eighteen inches apart, covering one-half inch deep. For succession, sow every few weeks till autumn. Water freely.

SOUTHERN GIANT CURLED. Used largely for salad, especially in the South. The true curled-leaf variety. See page 29 for prices.

Muskmelon

One Ounce to 60 Hills; 3 Pounds to Acre.

Culture.—A rich, deep, sandy soil, well worked and highly manured, is of the utmost importance. Plant when all danger of frost is over, in hills 5 to 6 feet apart each


way; scatter a dozen seeds to a hill and afterwards thin out to 3 or 4 plants. Cantaloupes and cucumbers are often destroyed by lice and should be well sprinkled with slug shot when the plants appear. When they have 4 leaves, pinch off the end of the main shoot, which will cause lateral branches to put forth sooner and strengthen the growth of the vines.

YELLOW MEATED JAPAN. This is by far the finest, most luscious and pleasing muskmelon grown. The vines are hardy, permitting earlier planting, very prolific, and produce very large fruits, nearly as early as the smaller varieties. The melons are nearly round, not deeply ribbed, and covered with patches of netting. The skin is yellowish white when ripe. The crowning feature of this melon is found in the thick, melting and delicious salmon-colored flesh. It is extremely rich, sweet and highly flavored.

OSAGE, or MILLER'S CREAM. Fruit medium sized, oval, slightly ribbed, dark green in color, banded with lighter streaks, covered more or less with shallow netting. The flesh is a deep salmon color and very thick, there being but a slight cavity in the center of even the largest fruit. Of exceptionally fine quality. The Osage is an excellent general purpose melon, as its crop is good on various soils, and the quality is satisfactory. Flesh ripens to skin.

ROCKY FORD CANTALOUPES. No melon has ever been so popular in the large city markets and has sold so readily at such high prices as the Rocky Ford. The vines are exceedingly healthy and vigorous, bearing an abundant supply of fruit during the entire season. The melon when ripe should have a silver-colored lace-like veiling, making it very attractive in appearance. The green flesh is very deep, very solid, yet so sweet and melting as to be eaten close to the rind. The seed cavity is very small. The average weight is about one and a half pounds.

SEE PAGE 29 FOR PRICE OF MUSKMELOON SEED.



Rocky Ford Cantaloupe.

Lettuce

1 ounce will produce 3,000 plants;
3 lbs. to the acre.

Culture.—To have fine lettuce early in the spring, sow in hotbed from commencement to middle of autumn. During winter, protect the plants by a box covered with a window or other sash, or with litter. Early in spring transplant some into rich ground; the others force under the sash. Or, in early spring, sow in hotbed and transplant. Later sow in drills when the cherry is in bloom; when up a few inches, thin out, leaving plants at proper distances.

Loose Leaved Varieties

EARLY CURLLED SIMPSON. A popular sort, free from bitterness; forms large, loose heads; light green in color.

GRAND RAPIDS. The most popular variety for greenhouse planting. It is of handsome appearance, a strong grower and not subject to rot.

PRIZEHEAD. A large, loose-headed, thin-leaved sort; the very large leaves are crimped, bright green, tinged on the edges with reddish-brown, and are crisp and sweet.



May King Lettuce.

Watermelon

Four Ounces to 60 Hills.


Culture. Watermelons are cultivated in hills, which should be 6 to 8 feet apart each way, and composed of light, moderately rich soil. The hill should be dug about 2 feet square, 18 inches deep, and half filled with well-rotted manure, which must be thoroughly mixed with the soil. Plant in May, ten seeds to a hill, and when the plants are well up, thin out to three. Cultivate until the vines cover the ground, and pinch the ends of the growing shoots to induce early fruiting.

KLECKLEY'S SWEETS. The finest of all medium early watermelons for home use. The rind is too thin to stand long distance shipment. The fruits are uniform in size, oblong in form, the skin is rich dark green, the flesh bright scarlet, the seeds lie close to the rind, leaving a very large, solid, red core. The flesh is rich, sugary, and melting, being entirely free from stringiness.

PHINNEY'S EARLY. Very early, quality good, hardy. Bears abundantly, medium sized, oblong melons with thin, smooth rind.

CITRON FOR PRESERVES. Fruit round and smooth. Is not eaten raw, but is used for making a very clear, transparent preserve of peculiarly fine flavor. Flesh white and solid.

For prices see page 29.



Phinney's Early Watermelon.

Onions

One ounce for 100 feet of drill, 4 to 5 pounds per acre. Sow as early in the spring as ground can be worked in drills 15 inches apart, covering one inch deep.

MINNESOTA RED GLOBE. This beautiful strain of red globe onion surpasses others in earliness, productiveness, perfection of shape, uniformity of size, rich color and long keeping qualities. Careful breeding has resulted in a true globe-shaped onion of great solidity, with a small neck which not only prevents the waterlogging, rot and shrinkage, but insures early maturity and perfect ripening. The color of the Minnesota Red Globe is a deep, blood-red, extra dark, while the surface is smooth and glossy; the flesh is white, tinged with light purple, fine grained and unsurpassed in flavor.



Minnesota Red Globe Onions.

YELLOW DANVERS FLAT, or ROUND. Very productive, medium size, round flat, early. Very reliable, small neck; thin, pale, yellow skin. Flesh white.

YELLOW GLOBE DANVERS. The bulbs are large and globular, with very thin necks; rich orange-yellow color. Excellent yielder and fine keeper. Flesh white and mild.

WHITE PORTUGAL, or AMERICAN SILVER SKIN. Bulbs medium size, ripening early and uniformly, with beautiful clear white skin; flat, good keeper, delicate and mild flavor. Used for pickles, also as a bunching onion.

SOUTHPORT WHITE GLOBE. White Globe onions command the highest market prices when they are true globe-shaped and free from stain. Our Southport White Globe Onion meets these requirements, having a thin skin of purest whiteness. The flesh is crisp, fine grained, very white and mild.

Onion Sets

Importance of Using Northern Grown.

The planting of Onion Sets is increasing rapidly year after year. They are used in order to obtain onions earlier than they can be obtained from seed. It follows, therefore, that Northern grown Onion Sets will produce onions earlier than Southern grown sets. In addition to this, Northern grown onion sets are incomparably superior to ordinary stock, being of small size, very hard and sound, and are cleaned so thoroughly as to be free from trash and rubbish.

WHITE BOTTOM. Small, solid and a beautiful silvery-white. Favorite sort in all gardens.

RED BOTTOM. Bright, dark red; even and dry.

YELLOW BOTTOM. Produced from seed which makes the finest yellow sets. Fine, dry, medium in size and unsprouted.

YELLOW MULTIPLIER. Preferred on account of their earliness. Late in June they are fully ripe.

AUSTRALIAN BROWN ONION. This remarkable onion is of medium size, wonderfully hard and solid and most attractive for market, both in form and appearance. They are extremely early in ripening and make no stiff-necks or scallions. Every seed seems to produce a good-sized onion, and the bulb begins to form very quickly when the plant is not over three inches high. Planted with the Red Wethersfield it will average nearly four weeks earlier, and ripen more uniformly. It has the reputation of keeping indefinitely, and we think from the firmness and hardness that it will keep in good condition longer than any other onion known. The color of the skin is a clear amber-brown.



White Bottom Onion Sets.



Guernsey Parsnip.

Parsley

One ounce to 100 feet of drill; 7 pounds to acre.

Culture. Soak the seeds a few hours and sow early in spring and continue until early autumn. If for horse culture the rows should be 3 feet apart; if for hand culture, 18 inches. Thin out the plants to 4 inches. To preserve during winter, transplant to light cellar or cold frame.

DARK MOSS CURLLED. The leaves are of an extra dark green color. It is very productive, and on account of the densely curled character of its leaves a quantity can be gathered in a short time.

TURNIP ROOTED, or HAMBURG PARSLEY. The edible portion is the fleshy root, which resembles a small parsnip, and is esteemed for flavoring soups, stews, etc. The flesh is white, a little dry, with the flavor of Celeriac. The foliage is the same as the plain parsley.

SEE PAGE 29 FOR PRICES.

Peppers


One ounce will produce 1,500 plants.

Culture. Sow in hotbeds in March; outside when the apple is in bloom, against a board fence or a garden wall. Transplant in rows 3 feet, and 2 feet in the row.

LARGE BELL, or BULL NOSE. A large, early, bright red variety, mild in flavor. Desirable for pickling and mangoes when green.

LONG RED CAYENNE. A late variety. Pods are small, bright scarlet, cone shaped and pungent. Are as much used for pickling when green as when ripe.

RUBY KING. The most popular, large fruited pepper. Very prolific. Plants grow about 2 feet high, and bear a fine crop of handsome large peppers, which ripen earlier than any other large fruited variety. The flesh is quite thick, sweet, and mild and may be eaten from the hand like an apple. Especially fine for salads or stuffed as mangoes.



Large Bell Pepper.

Parsnips

One oz. to 100 feet of drill; 5 to 6 lbs. to acre.

Culture. This vegetable is easily raised and very productive. Sow early in spring in shallow drills, 18 inches apart. The ground should be well and deeply dug. Thin out plants to six inches in rows. Hoe often.

SWEET MARROW PARSNIP. This fine Parsnip is offered with full confidence that it will be a prime favorite with all who use it. It is very fine grained and exceedingly sweet, while the peculiar "parsnip" flavor is fully preserved.

The roots are unusually smooth and attractive in appearance. The best of all parsnips for the private or market garden.

GUERNSEY. (Improved Half Long.) The roots do not grow so long as the Hollow Crown, but are of greater diameter and more easily gathered. It is a very heavy cropper. The roots are very smooth; the flesh is fine grained and of most excellent quality.

IMPROVED HOLLOW CROWN PARSNIP. Our stock of this old time favorite is very smooth and fine. None better anywhere at any price.



Early Sugar or Pie Pumpkin.

Pumpkin

One ounce to 30 hills; three to four pounds per acre.

Culture. Plant in hills six to eight feet apart, with 5 or 6 seeds in the hill, when the ground has become warm and the weather favorable, giving the same cultivation as for melons.

EARLY SUGAR, or PIE. Small, round, flattened, prolific, deep orange yellow. Flesh fine grained, sweet and of finest quality. A good keeper. One of the best for pies.

CONNECTICUT FIELD. An immensely productive, large, orange colored field pumpkin, usually grown for stock feeding, but it also makes good pies.

LARGE CHEESE, or KENTUCKY FIELD. Large, round, flattened, hardy and productive. About two feet in diameter. A fine keeper. Thick flesh of extra fine quality. Fine for family and market use. Grown quite extensively for stock feeding.

MAMMOTH PRIZE. The largest pumpkin grown. Has weighed as high as 225 pounds. A prize winner. The flesh is fine grained and the quality is excellent. The flesh and skin are of a bright golden-yellow color. Notwithstanding its large size it is a fine variety for pies and is a splendid keeper. If you wish to see how large a pumpkin you can grow, try this variety.

SEE PAGE 29 FOR PRICES.

We have spent considerable time and effort in selecting choice seeds suitable for Montana growers.

Peas

One quart will plant 60 ft. of drill; 2 bushels to acre. Culture.—Peas are among the first seeds that are planted in spring, and need rich, well-manured soil. Sow in drills three feet apart and repeat until first of July, with the exception of our Extra Early, which can be sown as late as August, on account of its early ripening and mildew resistance. The number of peas may vary from 10 to the foot for the dwarf varieties, to 8 to the foot of the medium tall and 6 to the foot of the very tall kinds.

SEE PAGE 29 FOR PRICES ON PEAS.

Extra Early Dwarf Wrinkled Peas

These require no brushing and are in large demand for family use. All of the following sorts are early, being but a few days later than the Round Seeded sorts.

AMERICAN WONDER. Height 10 inches. The vines bear a great abundance of good sized pods containing five to eight large, exceedingly sweet, tender and well flavored peas. This is the earliest of the dwarf wrinkled varieties. The seed is medium sized, wrinkled and pale green. Especially adapted for family use as they require no brush.

LITTLE GEM. Height 16 to 18 inches. The vines are of dwarf growth and produce an abundance of round, well-filled pods $2\frac{1}{2}$ to 3 inches long, only three days after the American Wonder. The peas are green, wrinkled, of sweet, delicious flavor and excellent quality.

NOTT'S EXCELSIOR. Height 14 inches. It is of compact, dwarf growth and is nearly as early as the American Wonder. The pods average three inches in length and are well filled to the square ends with green, wrinkled peas of fine quality.

Extra Early Round Seeded Peas

They ripen more uniformly than any other Peas and where the stocks have been properly bred and kept rogued, from 75 to 80 per cent of the pods can be stripped from the vine at the first picking, enabling the grower to secure the highest prices. Round seeded varieties are not as sweet as the wrinkled sorts.


ALASKA. Height 2 $\frac{1}{2}$ feet. Very early and exceedingly uniform in maturing its crop. The vines are very productive, bearing four to seven pods which are filled with medium sized, bright bluish-green peas of good flavor.

Early Wrinkled Varieties

Most of the following sorts are nearly or quite as early as the round seeded extra earlies, but they do not mature so uniformly. This, while making them less desirable for early market purposes, makes them better for family use as they will stand longer in fit condition for the table. They are much sweeter than the round seeded sorts.

ADVANCER. Height 2 to 2 $\frac{1}{2}$ ft. Seeds green, wrinkled. The pods are broad and long and well filled to the ends. It is a very productive and satisfactory variety.

DAWAR GRAY SUGAR. This is an edible podded variety. Vines grow only 15 to 18 inches in height, with purplish blossoms. Sugar peas are not shelled but pods are cooked same as string beans.



Telephone Peas.

CARTER'S DAISY PEAS. Dwarf, large podded pea, needs no brush. The pods are nearly double the size of American Wonder, and are always well filled with large peas of most excellent quality. The vines are 16 to 18 inches high, and require no support.

GRADUS (Prosperity). The earliest wrinkled variety. This grand, large podded, early, prolific variety has won the hearts of market gardeners in every market. The vines are very vigorous and robust, growing to a height of about 3 feet. The pods are very large and are invariably well filled.

Main Crop Varieties

Planted at the same time as extra earlies or dwarf varieties, these come into bearing when other sorts are gone. For the most part they stand a long time fit for table use, and as a rule they are, except when noted, sweeter than the early sorts. The pods are large and they will stand longer in fit condition for use.

TELEPHONE. This is in all particulars a market garden variety. It comes into bearing fairly early, yields abundant crops of large, fine appearing pods and peas are sweet and luscious. It is a great cropper, continues long in bearing, and fills the basket quickly. The vines grow about 3 $\frac{1}{2}$ feet in height, are very vigorous and strong. Each vine bears on an average seven to ten pods, which are ready for picking in about 65 days. The immense pods are straight, and of fine appearance, and contain eight to nine large wrinkled peas, closely packed, tender, sweet and of exquisite flavor.

CHAMPION OF ENGLAND. 4 to 5 feet in height. The standard main crop or late pea for summer use. The vines are very vigorous and productive, bearing an abundance of large, well filled pods. The peas are light green, wrinkled, of fine quality and delicious flavor.

WHITE MARROWFAT. Height 3 $\frac{1}{2}$ feet. Grown on account of the great quantities of pods which it bears and for canning purposes. The vines are of strong, sturdy growth but mature pods quite late.

BLACK-EYED MARROWFAT. Height of vines, 3 feet. (Hand-picked). An excellent variety. A very prolific bearer of large pods. One of the very best Marrowfat sorts.



Little Gem Peas.

Potatoes

EARLY OHIO. Experience of Montana growers as well as gardeners, proves beyond the question of a doubt that it is the very best potato that can be grown in Montana. In fact this potato is so popular and so well known that it does not require an extended description here.

Our very choice stock has been secured from the Red River Valley of North Dakota and are the best that can be obtained from a standpoint of vigor, freedom from disease or for producing and long keeping qualities.

OTHER VARIETIES. We will be able to offer other varieties such as CARMEN, IDAHO RURAL, IRISH COBBLER, NETTED GEM and BLUE VICTOR, to those who prefer them, during the season. Write for prices.

Radishes

One ounce to 50 feet of drill. 8 pounds to acre.

Culture.—The soil for Radishes should be very rich, light and mellow, well broken by digging, as their tender and mild qualities depend much upon their rapid growth. For very early use, sow in gentle hotbeds in February, and in the open air as soon as the ground can be worked, at intervals of ten to twelve days, for a succession as long as they may be wanted. The winter varieties should be sown in August, lifted before severe frost and stored in the cellar.

Sow in drills one foot apart and cover lightly; thin out while small to three inches apart. Hoe often.

EARLY DEEP SCARLET or NON PLUS ULTRA FORCING. This variety has as small a top and is as early as any in cultivation, making it one of the best for forcing under glass. Roots ready to pull may be had in three weeks and they remain long fit for use. They are small, globular, smooth, very deep red in color; flesh is white, crisp, tender and mild in flavor.

EARLY SCARLET GLOBE. The shape is a little longer than the round, and the color, which it holds long after pulling, is very brilliant and attractive. Has a small top and is very early, being fit to pull as soon as the Non Plus Ultra, but is much larger when matured. The flesh is white and tender.

SPARKLER. This quite distinct variety is exceedingly attractive, the color being a rich carmine scarlet with a very pronounced tip of purest white. The roots even when fully developed are solid, crisp and sweet, and remain fit for use as long as the coarser kinds. It is equally well adapted for forcing in frames or growing in the open ground.


FRENCH BREAKFAST. Beautiful, bright scarlet, with pure white tip. Oblong in shape, medium size, makes rapid growth. It is a fine table variety on account of its excellent quality and attractive appearance. Fine for open ground or forcing.



French Breakfast Radish.



Sparkler Radish.



White Icicle Radish.

One ounce for 100 feet of drill. Sow in early spring, in drills 12 to 15 inches apart, covering not more than one inch deep. Sow every two weeks for succession.

LONG STANDING. This excellent variety comes quickly to maturity and remains in condition for use much longer than other sorts. The leaves are smooth and very dark rich green. One ounce will sow a 100 foot row.

ROUND THICK LEAVED. A rapid growing variety, forming clusters of large, very thick, slightly wrinkled leaves. A favorite with market gardeners.

Salsify or Vegetable Oyster

Sow as early as the ground can be worked, in drills 12 to 13 inches apart, one inch deep.

SANDWICH ISLAND. Grows uniformly extra large, averaging fully double the size and weight of the roots of the old variety. Of very superior quality and delicate flavor.

SEE PAGE 29 FOR PRICES.



Round Thick-Leaved Spinach.



Squash

One oz. to 25 hills, Summer, and 1 oz. to 10 hills, Winter.

Plant the hills in the same manner and the same time as melons and cucumbers, the bush varieties three to four feet apart and the running kind seven to eight feet apart.

IMPROVED HUBBARD. The vines are of strong, running growth and bear a good number of large, pear-shaped fruit. The shell is hard, strong and dark green in color, thickly covered with a rough, warty growth. The flesh is bright orange-yellow, fine-grained, very dry, sweet, rich.

GOLDEN HUBBARD. Fruits of medium size, weighing from six to eight pounds and in shape are like the Hubbard, although in condition for use decidedly earlier. They are long keepers and can be held over in good condition for spring use. The shell is moderately warty, hard, strong and of a beautiful orange-red color, except for a bit of olive-green on the blossom end. The flesh is deep orange, dry, fine grained and richly flavored. A very superior table variety.

GREGORY'S DELICIOUS. In dryness, sweetness and richness of flavor, surpasses all other squashes. Shell green in color, flesh rich orange. Excellent winter keeper.

Rutabaga

PRIZE WINNER. Short neck, small top, firm flesh, symmetrical shape, united with high feeding value, great productiveness, hardness and long keeping qualities, describes the perfect Rutabaga. Every root of Prize Winner more nearly approaches this ideal than any other strain of Rutabaga. Prize Winner Rutabaga is a purple top, yellow flesh variety. The roots reach a good size and are exceedingly uniform in appearance. The Prize Winner is an all around Rutabaga, suited to every purpose and every soil. The Prize Winner is the handsomest and most productive stock of purple top Rutabaga.

AMERICAN PURPLE TOP. This strain is of American origin and is a purple top, yellow variety. It has been selected to produce a smaller top and shorter neck than is usually found; the roots grow to a large size and are of the finest quality and excellent both for the table and for stock feeding.

SWEET GERMAN. One of the very best sorts on account of its productiveness and quality. This consideration should count strongly with stock growers, all of whom understand that the quality of the feed regulates the quality of the product. Both flesh and skin are white.

Turnip

Culture.—Sow any time from early spring until July, either broadcast or in drills two and one-half feet apart, thinning out to about 5 or 6 inches apart in the row.

PURPLE TOP STRAP-LEAVED. A general favorite with all, and more largely grown than any other turnip; will do well to sow either broadcast or in drills, and will form good sized bulbs in seven or eight weeks. Rather flat and of medium size. Color purple above ground, white below; flesh white, fine grained, tender.

PURPLE TOP WHITE GLOBE. Of perfect globe shape, about six inches in diameter, with smooth, white skin; flesh pure white, firm and crisp, and of quick growth. A good keeper and is fine for market.

Tomato

Culture.—Sow in hothed or shallow boxes in the house in early spring; when plants are large enough, transplant in hothed or boxes and when all danger from frost is past, transplant in open ground about four feet apart.

GLACIER. This is an early, large and perfectly smooth tomato of perfect flavor, very solid, and strikingly attractive in appearance. In color it is a glossy crimson, tinged with pinkish purple. It is enormously productive. In addition to its earliness it continues to produce ripe fruit until frost.


DWARF CHAMPION. Dwarf and compact in habit; stands up well even when loaded with fruit, having a stiff, bushy stem; can be planted close together; very desirable in small gardens; early. It is always smooth and attractive; the skin is tough and flesh solid, but has no hard core and is of good flavor.

EARLY MINNESOTA. This splendid tomato remains today, as it was when first offered, the earliest of all the good varieties, very hardy and succeeding everywhere. Early Minnesota is superior to other varieties in shapeliness, color, size, smoothness, solidity, and flavor, as well as being earlier. When we say the earliest tomato, we of course mean the earliest good tomato. Those wishing the earliest good tomato must have Early Minnesota.

PONDEROSA. This is the largest fruited tomato and is of fine quality for slicing. The vines are of a strong growth; fruits oblong in form, deep through, and generally ridged or ribbed; deep purple in color. They are solidly fleshy with small seed cells; of fine flavor. Planted in good soil, fruits frequently attain a weight of 1 lb. or more.

SPARK'S EARLIANA. A perfect early tomato, large in size and beautiful in color, nearly seedless and very solid; a vigorous grower and prodigious bearer, yielding its splendid fruit until frost.

HUSK TOMATO. Makes fine preserves. This useful fruit, which is also called Strawberry and Ground Cherry Tomato, is greatly valued for use as a preserve, it also makes delicious pies either when ripe or dried with sugar. When ripe the fruits are half an inch in diameter and of very sweet and agreeable flavor. The vines cover the ground and yield enormously of the fruit which is enclosed in a husk or fruit calyx.



Spark's
Earliana
Tomato.

Herbs

CARAWAY. Grown for seeds; used for flavoring.

DILL. Seeds have an aromatic odor and pungent taste.

MARJORAM, SWEET. Leaves used for seasoning.

SAGE. An indispensable herb for seasoning.

SUMMER SAVORY. Used for flavoring soups.

FLOWER SEEDS



Carnations.

seeds in a good, rich soil. Unrivaled for great variety and size of flowers. 2 feet. Many colors and combinations. Pkt., 10c.

BACHELOR'S BUTTON. Also known as Centaurea, Cornflower, Blue Bottle, Ragged Sailor, Sweet Sultan, etc. There are among the most attractive of all hardy annuals and one of the most popular flowers. Mixed colors. Pkt., 10c.

CALLIOPSIS, or COREOPSIS. Showy and beautiful free-flowering annuals, blooming all summer and excellent for cutting and massing. Mixed. All colors. Pkt., 10c.

CANDYTUFT. Universally known and cultivated. When sown in April, flowers from July until frost. Very hardy and easy to cultivate. Height, 1 foot. All colors mixed. Pkt., 10c.

CARNATIONS, Marguerite. This new class of Carnations blooms in about five months after sowing the seed. The flowers are of brilliant colors, ranging through many beautiful shades of red, pink, white, variegated, etc., exquisitely sweet and fully eighty per cent perfectly double. The plants succeed alike in the open garden or in pots. Seeds sown early in the year will give an abundance of flowers in July. Sown in May and kept pinched back, plants will bloom late in the fall until checked by hard frosts. Mixed colors. Pkt., 10c.



Verbena.


No garden is complete without its spot devoted to flowers, and a careful selection and proper planting and care will be rewarded by a succession of bloom the whole season. Our list of flower seeds is made up with a view to listing those sorts suitable to this section. The soil best suited to flowers is a light, rich loam, which should be as fine and smooth as possible. Should the soil be heavy, mix with sand to lighten it. Sow the seed either broadcast or in rows, and cover in proportion to the size of the seeds—a good general rule is cover two or three times the size of the seed—and press the soil firmly. Small seeds cannot come up if covered too deep. Water with a fine spray and do not allow the soil to dry out.

ALYSSUM, Sweet. A very neat and pretty plant for edging, rock work, beds, or vase. Sweet scented and blooms profusely all summer. Pkt., 10c.

ASTER, Many Sorts Mixed. This very fine mixture embraces all varieties and colors. The Aster is one of the most charming of all flowers, sure to give pleasure and satisfaction under generous treatment. Pkt., 10c.

ASTER, Ostrich Plume. Flowers large with very long, loosely curved petals. Very fine as cut flowers; height, 15 inches. The colors are exquisite. Asters are especially popular for their beauty and lasting qualities. All colors mixed. Pkt., 10c.

BALSAM, or Lady Slipper. Double Camellia Flowered. An old favorite garden flower, producing its gorgeous masses of beautiful brilliant colored double flowers in the greatest profusion; of easy culture; succeeds in good soil.



Pansies.

COSMOS, Large Flowering Mixed. Cosmos is the showiest of our late summer and autumn blooming annuals. Its graceful flowers borne on long stems, rising above the feathery foliage are very desirable for home or church decoration, lasting a week or more in water. It is a very prolific bloomer and if the plants are given space to develop well, will branch freely, every shoot being covered with a mass of lovely flowers. Crimson, white and rose. Mixed colors. Pkt., 10c.

WILD CUCUMBER VINE. A well known vine, common in many sections, and the quickest climber known for covering verandas, old trees and houses, trellises, etc., never suffering from the heat but retaining its fresh and lively green color; never infested with insects, and very profuse in bloom. It will sow itself and come up in the same place. Sow seed in fall. Oz., 25c; pkt., 8c.


CYPRESS VINE. One of the most popular vines, with delicate fern-like foliage and masses of beautiful, small, star-shaped flowers. Suitable for porches, window boxes and baskets. All colors mixed. Pkt., 10c.

ENGLISH DAISY. Daisies are easily raised from spring sown seed, and come into flower in a very short time. They thrive best in cool, shady places, but do well in almost any soil. They are very pretty when in bloom and deserve to be grown more universally than they are. Admirably adapted for edgings, borders, and low beds 6 to 8 inches. Double mixed. Embracing all colors. Pkt., 10c.

ESCHOLTZIA, or California Poppy. A very attractive annual for massing, beds, or edgings, profuse flowering, with fine-cut foliage. All colors mixed. Pkt., 10c.

FOUR O'CLOCK, or Marvel of Peru. A handsome, free-flowering garden favorite, which succeeds everywhere. Give each plant 12 to 18 inches of room. Fine mixed colors. Pkt., 10c.

HOLLYHOCKS. Seeds should be sown in June or July to have flowering plants the next summer, or, if sown in the house early in the spring they will bloom the first year. Double varieties, mixed, pkt., 10c; finest single mixed, pkt., 10c.



Larkspur.

PANSY, Bedding Mixed. Composed of many standard sorts; admirably suited for beds or borders; strong growing plants, very free blooming. Pkt., 10c; $\frac{1}{4}$ oz., 50c.

PANSY, Glacier Mixture. A mixture of Pansies unrivaled for diversity of coloring and marketing. This mixture is made up from the finest named varieties grown by Pansy specialists of the Old and New World. Pkt., 50c; 2 pks., 75c.

PHLOX DRUMMONDI. Of all summer-flowering annuals the varieties of Phlox Drummondii are unquestionably some of the most brilliant and satisfactory. Seed may be sown in the open ground any time after danger of frost is past, and in a few weeks the beds or borders are aglow with their brilliant coloring and remain so until cut down by frost. For early flowering they should be started indoors or in a hotbed. Mixed colors. Pkt., 10c.

PINKS, or Dianthus. One of the most popular and magnificent flowers in cultivation, producing a great variety of brilliant colors and profusion of bloom. The annual varieties may be sown out of doors when danger from frost is past and in a few weeks time are a mass of bloom, continuing so until frost. 1 foot. All colors mixed. Pkt., 10c.

POPPIES, Fancy Mixture. Include all of the best double varieties of large-flowering poppies of all colors; also many varied tints and combinations of color. Many of the blossoms are 6 to 7 inches in diameter and as double as Peonies. 30 to 36 inches high. They are fine for cut flowers or garden display. Pkt., 10c; oz., 35c.



Kochia.

KOCHIA. Summer Cypress or Mexican Fire Bush. An easily grown annual, which sown thinly in spring soon forms a cypress-like hedge of lively green and of perfect symmetry; it attains a height of about 3 feet, and on the approach of autumn the whole plant becomes a deep red. Pkt., 10c.

LARKSPURS. This is one of the best known garden flowers. A vast improvement has been effected, by careful selection and attentive cultivation, in size and color of the blossoms and general habit of the plant. Hardy annuals. Mixed colors. Pkt., 10c.

MARIGOLD, African. Plants grow 2½ feet high, producing large, double flowers, about 3 inches in diameter. Orange and lemon shade predominating. Pkt., 10c.

MARIGOLD, French. Very free flowering annual of easiest culture. Dwarf in growth and very effective for bedding purposes. Covered with hundreds of small, bright flowers. Pkt., 10c.

MIGNONETTE, Sweet Scented. A well known fragrant garden favorite. Sowings made from May to July will give a succession of blooms from early midsummer until frost. Pkt., 10c.

MORNING GLORY. One of the most free-flowering and rapid growing climbers in cultivation, thriving in almost any situation. Pkt., 10c.

NASTURTIUM, Glacier Dwarf Mixed. This popular flower is so well known as to require no comment. In this mixture are included the finest colors and combinations obtainable in the dwarf varieties. Pkt., 10c; oz., 20c; $\frac{1}{4}$ lb., 60c; lb., \$2.00.

NASTURTIUM, Glacier Tall or Climbing, Mixed. Many prefer the climbing or running type for porches, trellis or rockwork. They grow very rapidly and give an abundance of showy blossoms and foliage. Nothing finer in a mixture can be found than this. All the finest and rarest varieties are included. Pkt., 10c; oz., 20c; $\frac{1}{4}$ lb., 60c; lb., \$2.00.

PETUNIA. The Petunia is peerless among annuals for effective summer bedding or window boxes. It is of easy culture, early to blossom and continues all the summer until frost. No other flower produces a greater diversity of color, or retains its freshness for so long a period. The doubles may be perpetuated by cuttings in late summer, for winter house plants. All colors mixed. Pkt., 10c.

PORTULACA, or Moss Rose. One of the finest hardy annuals of easy culture, but thrives best in exposed sunny situation. The flowers are of the richest colors and are produced freely throughout summer. Mixed. Pkt., 10c.


RICINUS, Castor Oil Bean. Ornamental plants of stately growth and picturesque foliage, with brilliant colored fruit, producing a sub-tropical effect; fine for lawns, massing or center plants for beds. Mixed. Pkt., 10c.

SWEET WILLIAM. Well known, beautiful, hardy perennials, about 1 foot high, making a most splendid appearance in May and June. Mixed. Pkt., 10c.

STOCKS. Half-hardy annuals, producing splendid spikes of very rich and beautiful flowers of delightful fragrance. For early flowering, sow early in spring in pots or in hotbed, and transplant one foot apart. Bloom from June until November. Large flowering mixed, pkt., 10c.



Nasturtium.



Phlox Drummondii.

VERBENA, Mammoth. Obtained by selection of the largest and most striking flowers. Our strain is very fine. All colors mixed. **1kt., 10c.**

SNAPDRAGON. Readily grown from seed and is a constant source of pleasure, being in bloom all the time; excellent as cut flowers, lasting many days. All colors mixed. **Pkt., 10c.**

ZINNIA (Youth and Old Age). Splendid hardy annuals; succeeding well in any soil, and making a brilliant show. The same flowers will retain their beauty for weeks and a profusion will be produced until frost. Double mixed. **Pkt., 10c.**

Sweet Peas

MIXED SWEET PEAS IN ALL VARIETIES.

Choice Mixed. This is a most excellent mixture, embracing all the standard varieties and many colors. **Pkt., 10c; 1/4 lb., 50c; lb., \$1.50, postpaid.**

Spencer Mixture. The Spencers are the latest development in Sweet Peas, with large blossoms and frilled petals. The vines are strong, healthy and vigorous in growth and produce in wonderful profusion, long and strong-stemmed flowers of great beauty, perfect form and coloring. **Pkt., 10c; oz., 25c; 1/4 lb., 70c; lb., \$2.25, postpaid.**

STRAIGHT VARIETIES AND COLORS.

Giant Orchid-Flowering or Spencers. The characteristics of the Spencer Sweet Peas grown under favorable conditions are strong, healthy growth, plants attaining height of from six to nine feet, requiring for full development a space at least six inches apart. The blossoms are of immense size, measuring 2 to 2 1/2 inches across. They are beautifully formed with huge standards, open and upright and immense wings gracefully poised. Both standards and wings are delicately waved; the undulations reflecting lights and casting shadows in the depths, thus showing varied harmony of tones which greatly enhances the coloring. Three and often four of these handsome blossoms are borne on long, strong stems, rendering them available as cut flowers for vases, bouquets and other decorations.

Blanche Ferry. A giant type of Spencer form, with rose standard and wings white, suffused and tinted with light pink. **Per pkt., 10c; oz., 35c.**

Captain of the Blues, or Waverly Spencer. Pure purple. The margin of the petals is marbled. Very large and distinct. **Per pkt., 10c; oz., 35c.**

Florence Nightingale. A very large, finely waved bluish lavender. **Per pkt., 10c; oz., 35c.**

King Edward. The best pure red Spencer very large with especially immense wings. Everyone shou'd grow this variety. Our strain is quite sun-proof. **Per pkt., 10c; oz., 35c.**


Mrs. Hugh Dickson. The best cream pink Sweet Pea. The color is light salmon pink on cream ground. This variety has exceptional vigor and produces large flowers, four on each stem. **Per pkt., 10c; oz., 35c.**

Othello. Of immense size, with large, drooping wings rich maroon, very dark and adapted for many attractive combinations. One of the best dark Sweet Peas. **Per pkt., 10c; oz., 35c.**

White Spencer, Morse's Re-selected. The best Spencer white. Flowers very large and magnificent Spencer waxed form. Stems as a rule carry four blossoms. **Per pkt., 10c; oz., 10c.**

Bulbs
A COMPLETE LINE
FOR SPRING—
Dahlias Gladiolus Peonies
FOR FALL—
Narcissus Crocus Freesias
Daffodils Hyacinths

Write For Prices.



Sweet Peas, Spencer Type.



Field of Swedish Select Oats.

BARKEMEYER'S NORTHERN GROWN SELECTED FIELD SEEDS

Back to Montana Seeds

Last year we were extremely embarrassed by the crop failure in Montana and were repeatedly compelled to apologize to our customers because most of our field seeds came from North Dakota, Washington, Idaho and Canada but not so this year. Montana has again come into her own with excellent crops of everything and we have been able to select our Wheat, Oats, Barley, Rye, Flax and practically all field seeds from the very choicest crops, and let us assure you right here that we have bought nothing but the best.

Our warehouse and cleaning plant force has been busy ever since early last fall cleaning and storing away these lots of choice seed and they are now ready to fill your order. Whether it be for one bag or a car load it will have our careful attention and be very much appreciated.

Oats

AMERICAN BANNER OATS (90 to 95 Days) are noted for their earliness, productiveness, and uniformity of ripening.

It will be noticed with most oats that when the great body of them is ripe there are many small immature oats which do not fill out and are lost in threshing. The American Banner are superior in this particular because practically all of them ripen at the same time. This feature adds approximately 10 per cent to the yield.

We have secured a very choice lot of these oats and after thoroughly recleaning them we feel free to recommend them to you to be as good as any seed oats you can secure.

THE SWEDISH SELECT (105 to 120 Days) oats were originally quite a late variety made early by growing in the high altitude in which they are developed. They are an improved strain of Swedish Oats, will mature early and in yield are far superior to Swedish.

We know of instances where 110 to 120 bushels per acre have been harvested under favorable conditions. Under ordinary growing conditions, however, a yield of 50 to 75 bushels is quite certain.

Quality of the grain is also superior to ordinary oats, the kernels being plump and very heavy.

The Swedish Select Oats which we are offering have been bred to such a high state of perfection that they usually test from 40 to 44 pounds to the measured bushel. We recommend these oats and feel sure they will give satisfaction.

BIG FOUR OATS (105 to 120 Days). These are very handsome and heavy white Oats of great productiveness,

and have become very popular in many sections of Montana, Wisconsin, Minnesota and South Dakota. They do very well on ordinary soil. On rich, heavy land they grow so rank, the straw not being large in proportion to its weight, that they are much inclined to lodge. Large yields have been reported from this Oat. We offer stock which is of good appearance and which under favorable circumstances will give an excellent yield of good quality.

SIXTY DAY OATS (80 to 100 Days). This variety of Oats is especially adapted to dry land conditions. Many growers form an erroneous opinion of this oat on account of the small kernel and yellow color but tests carried on at the State Experiment Station show that Sixty Day Oats produce a heavier yield and are surer of making a crop on dry land than any other variety. The hull is thin and under favorable conditions the weight per bushel high. Tests show that the Sixty Day has a smaller portion of hull than most of the varieties with larger kernels, this giving it a high feeding value.

They are among the earliest varieties known, usually maturing in 80 to 100 days from date of planting.

Because of their early maturity there is greater assurance of escaping rust, drought and frost. These oats are also well adapted to low, wet lands as rust or lodging rarely occurs.

It is generally conceded by agricultural authorities that no other oats is so suitable to such a wide range of soil and climate and still remain productive.

Comparative yields under similar conditions show the Sixty Day oats slightly higher.

Marquis Wheat

Pronounced by both farmers and millers the finest for the northwestern spring wheat territory. It is a week to ten days earlier than Blue Stem or Red Fife Wheat. These ten days mean much, avoiding rust, smut, hot winds and lodging.

Marquis is a beardless wheat, having smooth, yellow chaff. The kernel is flinty, very dark red and more plump than Red Fife. It weighs 60 to 66 pounds per bushel.

Considering the increased yield, finer quality and earliness of Marquis Wheat, the first cost of the seed is returned many times over in additional value which may be secured for the crop.

Marquis Wheat has outyielded all other common spring wheats grown under the same conditions of soil, cultivation and climate. The increased yield varies from 5 to 10 bushels per acre. Threshing reports from the three big, hard spring wheat states this past season indicate the same favorable increase in yield of Marquis over other varieties, as has been the case every year since Marquis was introduced.

Marquis Wheat has, by numerous milling tests, shown a higher percentage of gluten, a better color, greater absorption and of heavier weight per bushel of grain. This question of quality is of great importance to the wheat grower when he comes to dispose of his crop at the mill or elevator. Almost without exception, Marquis Wheat will grade No. 1.

Although the 1919 Montana Marquis Wheat crop was practically a failure, we have secured some choice Montana Marquis and in addition at great expense and effort, we have been fortunate enough to secure some very fine crops from Canada, Washington and Dakota, which we shall be pleased to offer our customers as we have them in stock.

Durum Wheat

MACARONI or DURAM WHEAT. The acreage of this variety is increasing every year as the milling demand grows. It outyields by far any other variety of spring wheat and has proved to be practically immune to the dreaded rust. In growing it resists extremes of weather, which no other wheat will endure.


In the field this wheat grows very strong and with surprising rapidity, so rapidly as to get well ahead of the weeds. It does not shell or bleach; is almost hail-proof owing to the tightness of the hull. The straw is very strong.

During an extremely dry spring practically all varieties of spring wheat, except Durum, will head when only two or three inches in height, but Durum will stand for several weeks without heading and if rain comes within a reasonable length of time, will continue its growth to natural height before heading and thus insure a fully developed head.

There are many varieties of Durum but we handle only those which have proved to be the very best for Montana and the Northwest after years of experimenting.

KUBANKA or "White Bearded" is the best known variety, having yellow chaff and beards, the kernels are medium size, clear amber color and of excellent quality. It has proved to be a practical and profitable crop in western North Dakota, South Dakota and Montana.

PELISS or "Black Bearded." Having yellow chaff and long black beards, has proved to be the largest yielder of all Durums although not so high in milling quality. The kernel is large, being about 1-3 longer than the other varieties of Durum. Until a few years ago this variety was comparatively unknown but its large yielding and drought resisting qualities have given it so much pub-




Marquis Wheat.

licity that it has been raised with great success on many farms in Montana and North Dakota during the past three years. We can highly recommend this wheat as the largest yielder of any Spring Wheat now grown in Montana.

KAHLA or "Black Durum". This variety has both black chaff and black beards with hard amber kernels smaller than either Kubanka or Peliss, but of higher milling quality. It is adapted to a wide range of conditions of climate and although it has not been widely cultivated, sufficient of it has been raised by farmers in various sections of Montana to prove that it is one of our very best spring wheats.

We shall be pleased to offer our customers these three varieties of Durum as we have them in stock. Our supplies have been secured from sections of the Northwest, which makes the seed admirably adapted to any part of Montana.

We are serving thousands of Farmers and Truck Gardeners satisfactorily. May we now have the pleasure of serving you?



A Field of Wheat.

Winter Wheat

There are many varieties of winter wheat, but experience has taught us that Turkey Red is the very best for this country.

The seed for this wheat was originally brought from Russia, where it endured the severe winters which makes it admirably adapted to Montana.

Turkey is a medium hard, red, bearded variety, a heavy yielder which does not shatter out easily. Being hard and of good quality this wheat is always in demand for milling purposes. Wherever possible we recommend that you sow winter wheat as it yields on an average from 3 to 5 bushels more than spring wheat.

Seed Flax

Culture. Flax should not be sown on the same land oftener than once in seven years. It is a mistaken idea, however, that flax injures the land. It is no more injurious than wheat or oats during the first four or five years. Before sowing the ground should be thoroughly prepared and it is specially important to have the soil well packed, sowing 18 to 20 pounds per acre. Sow as early as possible and yet avoid the last killing spring frost. In most sections of Montana flax may be sown as late as June 15th, with excellent results.

RUSSIAN OR BROWN FLAX. This is the standard flax and the most popular and most extensively grown flax in the Northwest. It is brown in color, the grains are large and plump and it contains a large per cent of oil, for which reason the Experiment Stations especially recommend it.

Cleaning flax for seed is an expensive operation, requiring special machinery, involves considerable waste, but we take great care to do this thoroughly. Send for samples and compare it with the ordinary flax secured from farmer or elevator and see if you do not think it is worth all it costs.



Money Making Winter Rye.

It is a good yielder, having shown an average yield of 22.4 bushels in 13 tests made. The yields range from 12 to 38 bushels per acre. It will do much better on heavy land than wheat.

Seeding should be done at the same time and in about the same manner as wheat except at the rate of 1 bushel per acre instead of 45 pounds.

Winter Rye

VALUE OF WINTER RYE.

Experience with drought and winter-killing during the past two years has lead Montana farmers to seek a crop which would be proof against these. Winter Rye is without doubt a crop which will endure the most punishment from extremes of heat, cold and drought of any grain crop now grown in Montana.


Thus far comparatively little Rye has been raised, chiefly for two reasons. First—the lack of knowledge of its qualities. Second—the discouragingly low prices paid by the elevators. This low price has not been due to a desire for extra profits on the part of the elevators, but rather on account of the limited production and consequently increased cost in handling.

Much can be said in favor of Rye as a forage crop. On account of its rapid growth, it affords excellent pasture both fall and spring; it can be pastured very late in the spring and then produces a very good crop of grain.

Spring Rye

True stock, Spring Rye, makes an excellent crop where winter grain has been killed out, or for sowing where a fall crop has not been planted. If desired it can be turned under and made to answer a good purpose in adding to the fertility of the soil. Sow seed same time as other spring grain. Does not grow quite so large straw as Winter Rye, but usually yields as well and grain is of fine quality. Particular attention is called to the fact that genuine Spring Rye is offered. Many have been disappointed in receiving Winter Rye as a spring variety, and the fact is emphasized that we sell the genuine Spring Rye, sown in the spring and harvested the same season.





White Hulless Barley.

valuable variety originated abroad and is a decided improvement on the old black or gray sort. It is early, remains longer in bloom than other sorts. A fine variety for honey bees. The grain is of a beautiful light gray color, and has a thin husk. Millers prefer Silver Hull, there being less waste and it makes whiter, better and more nutritious flour than other varieties. Silver Hull is more productive and the grain meets with more ready sale, bringing higher prices than the Japanese. Under favorable conditions it will yield 40 to 50 bushels an acre.

Speltz or Emmer

Speltz has now been grown for several years and each succeeding season sees its production increasing to an enormous extent. It is found to be adapted to a wide range of soil and climate, to resist extremes of weather, to be of superior feeding value, and to yield so much more heavily than oats and barley as to insure its increasing popularity.

Professor Shepard, of South Dakota Experiment Station, says:

"It is readily eaten by all kinds of stock and has shown itself to be especially adapted for feeding milch cows. It is better to mix it, however, with bran or shorts, as it is a pretty heavy feed when fed alone. As a swine feed, we think very well of it indeed, especially for brood sows."

"Horses do well on it, but I do not think it is equal to oats in that case. Its most striking value is found in the fact of its drought resisting qualities."

Vetch

SPRING. Used for the same purpose as the Sand or Winter Vetch. This variety requires a good soil, is frequently sown with oats or barley, with which it makes excellent feed.

SAND OR WINTER VETCH. A very valuable forage plant. It is very hardy. Is valuable as a winter cover crop to prevent leaching, and for forage and fertilizing purposes. It is an annual, but re-sows itself and will come up year after year on the same ground. It succeeds well on nearly all soils and thrives surprisingly on poor, light land and will endure extremes of drought, heat and cold. It improves the soil. It may be sown either in the spring or fall with about half a bushel of rye or oats for support. It grows rapidly and is particularly valuable in sections where Clover does not thrive. When sown in April or May it can be cut in July, the second growth affording excellent pasture during the summer. The yield of green fodder is from twelve to twenty tons per acre. Ask for prices.

Barley

SIX-ROWED MANSHURY. This is an especially fine six-rowed barley. It has been highly improved so that it will produce plump grains with the greatest protein content, as well as strong, stiff straw and long, well-filled heads. In quality, both as to feeding value and for malting purposes, no other barley excels it. It yields abundantly and is early and very vigorous in growth. Seldom does a yield of this grain lodge.

BLUE HULLESS BARLEY is a large headed six-rowed, strong hulless variety. It often yields as high as 60 bushels per acre. The grains are quite large and light blue in color. It yields well on very poor soil and makes enormous yields on good soil. It makes better pork than corn and when ground with oats is fine horse feed. 50 lbs. per acre should be used on dry land for grain crop.

IMPROVED WHITE HULLESS BARLEY. It is not a malting variety, but for feeding purposes there is no barley raised which can compare with it in earliness, yield and quality. While it has sufficient hull to hold it in the head, the hulls are readily separated in threshing. The absence of beards make it safe to feed to all kinds of stock. Its earliness is a characteristic which is especially desirable. It will mature in from 60 to 90 days, according to soil and locality. Those seasons in which wheat failed, White Hulless Barley was sown in June and had ample opportunity to mature, provided there was sufficient moisture in the ground to start germination. The grain is exceedingly heavy, weighing from 60 to 63 lbs. to the measured bushel. The yield varies from 35 to 80 bushels an acre. Its nutritive value is very great. It is very valuable for feeding poultry, hogs and all kinds of stock. It is often grown for hay, coming very early and providing rich feed. The straw is stiff and straight, and seldom, if ever, does it lodge.

Buckwheat

JAPANESE BUCKWHEAT. Entirely distinct from all other varieties. It has the advantage of remaining for some time in bloom and produces seed earlier. On this account it can be grown farther north. It resists drought and blight very well. The seed is rich dark brown in color and larger than Silver Hull. As much as 40 bushels to the acre have been harvested of this variety.

SILVER HULL BUCKWHEAT. This



Speltz.

Sudan Grass

The Wonderful New Forage and Hay Crop.

SUDAN GRASS was introduced into this country by the Department of Agriculture in 1909. Since then it has been grown throughout the United States and has been a great success as a summer grass and forage crop. It has been found to be of the greatest value in localities where the rainfall is insufficient. Altitude does not affect it as it has given extremely good yields in altitudes up to 5,500 feet. While it is a good drought resister, the more it rains the larger the yield. Sudan is strictly an annual, dies each year and must be seeded again each spring, which makes it fit admirably into any system of rotation which might be considered. Experts are enthusiastic over the possibilities of Sudan Grass as a rotation crop. It can be treated like wheat or oats in rotation as it dies out in the winter and there is no danger of the plant yielding a volunteer crop. No plant can compare with it in productiveness and the quality of hay cannot be excelled except by Alfalfa, Clover or Cow Peas.

This grass should be sown after the soil has become warm, drilled from one-half to one inch deep in rows and cultivated for seed or sown broadcast for hay. For seed production sow 16 lbs. per acre in rows. For hay 16 to 24 lbs. broadcast.

Dwarf Essex Rape

Is an annual, bearing a close resemblance in leaf and stalk to the Rutabaga, but both leaves and stalks are more numerous in the Rape plant, and of a taller habit of growth. It is a pasture plant which may be eaten off by any kind of live stock, but is pre-eminently fitted to furnish pasture for sheep, cattle and swine.

A good crop will furnish at least 12 tons of green food an acre.

Dwarf Essex Rape thrives best on a good soil, rich in vegetable matter. Slough lands are excellent. This plant may be grown successfully in the following ways, viz: 1. In the early spring to provide pasture. 2. In June or July, to provide pasture. 3. Along with grain, using 2 lbs. of seed an acre to provide pasture for sheep after harvest. 4. Along with peas, oats, clover seed, to provide pasture and get a "catch" of clover. 5. As a cover in the orchards for winter protection to avoid root-killing. 6. In corn, sowing the seed with the last cultivation; the succulent feed produced may save the loss of cattle by corn stalk disease. 7. Along with Rye, sown in August, in sheep pasture. 8. On early plowed fields to shade the land and so that the soil will not leach, wash or drift. 9. To plow under as a green crop, adding humus to the soil. When rape is sown broadcast, 5 lbs. of seed an acre will suffice. When sown in rows, say thirty inches apart, and cultivated, from 1 to 2 lbs. an acre will be enough. Ask for prices.

Canadian Field Peas

After grain has been grown year after year on a field a great deal of the life and fertility is taken from the soil and there is no crop which will do more to replenish and enrich the soil than Canadian Field Peas. Peas are second only to clover in their soil enriching properties and can be grown under almost any conditions of soil and climate. There is always a ready market for peas or they can be profitably ground and fed to stock. The vines make rich nutritious hay, which is especially good feed for cows. They can be planted in many ways, first when sown alone about two bushels per acre are required and they can be matured and threshed when dry. The yield will vary from thirty to sixty bushels per acre. For hay, peas and oats should be sown together, using one bushel of peas and one bushel of oats per acre. The peas should be sown first and covered to a depth of about four inches, then drill in the oats. The vines grow to a height of about 3½ feet.



Canadian Field Peas.



Sudan Grass, Raised From One Seed.

Mammoth Russian Sunflower

The Sunflower, which has long been known as a pest and a weed, during the past two or three years has proven by the Agricultural Experiment Stations of this state to be a most excellent crop for ensilage. It produces an enormous tonnage of from 20 to 30 tons per acre. This has been a wonderful discovery in itself and was first originated and tried out at Bozeman, Montana. It was fed to dairy cattle and was found satisfactory in every way. The cows were just as anxious for it and produced as much milk as when fed with other ensilage. During the past year large tracts of land have been producing Sunflowers with good success, throughout various sections of Montana.

The seed is also very valuable as a poultry and hog feed. It should be sown in rows far enough apart to admit of cultivation. Five lbs. are sown per acre.

Southern Cane

This variety does not mature so early as the Minnesota Sorghum, but the yield is very much heavier. When Sorghum is grown for fodder only, the Southern Cane will and is usually grown on that account by dairymen, to feed their milch cows. It is also desirable when grown as a pasture plant for hogs, sheep or cattle. All kinds of stock eat it readily. Southern Cane is not suitable for making syrup when grown in the North, but for feed it is splendid.

Field Corn

Why Grow Corn? Many reasons can be given for growing it, but there are three which are of great importance in Montana. First, corn which has been thoroughly cultivated and kept free from weeds will produce a seed bed for small grain almost, if not quite, equal to summer-tilled land. Second, corn has a low moisture requirement and will produce a more profitable crop than small grain in a dry year. Third, the raising of corn leads to keeping live stock upon the dry farm, especially hogs and cattle.

Culture. Although it is of great importance, space will not permit of a discussion of the seed bed preparation, except to mention that when land is spring-plowed the harrow should immediately follow. A home-made plow-harrow does the work exceptionally well. Russian thistle has ruined more corn fields in Montana than all other causes put together. This very troublesome weed, however, may prove a blessing in disguise, for it is controlled only by checking the corn and giving thorough cultivation both ways. Checking by means of a check wire or hand-planter is recommended for all conditions. It permits thorough cultivation, which is necessary for the eradication of the Russian thistle and the conservation of the soil moisture.

Homesteaders, or those who are just starting and cannot afford a corn-planter, can get along very nicely by marking out their land with the old-fashioned marker and planting with a hand dropper. Strange as it may seem, corn should be planted in Montana almost as early as in Iowa, providing the seed is strong. The Montana air is normally dry, therefore the late frosts are not so killing as those in more humid sections. Experience in Montana has taught that corn is seldom injured by planting too early, providing the seed is strong and it does

not rot in the soil. The chances for frost injury are much less in the spring than in the fall. On the dry-land demonstration farms, corn which was 4 inches high has been frosted without serious injury.

Corn is recommended above all other crops for sod. It always produces a lot of seed and leaves the soil in good condition for small grains. The sod should be broken about 4 inches deep and rolled flat immediately. The corn should be planted between the furrows. After the 10th of May it is well to plant corn every evening upon land which is broken during the day. Such corn absorbs the moisture from the sod and comes up very quickly. The sod should be double-disked and harrowed immediately after the corn is planted. Sod corn is seldom cultivated except with a disk cultivator, on account of the unrooted turf, which will not permit of other cultivation. Any Russian thistle which starts should be cut out with a hoe.


Cultivation. Corn cultivation in Montana will not differ very greatly from that of other states. The corn field should be harrowed after planting and it may be harrowed after the corn is up. The Russian thistle, however, will compel the cultivation to be frequent and thorough.

Early Northwestern or Smoky Dent Corn

The Earliest Dent Corn for the Northwest.

This corn is in a class by itself, having red kernels with a yellowish cap, being a cross between a red flint and a yellow dent, but the type has become well established. To some the color is objectionable, but it must be taken into consideration that in most parts of Montana, North Dakota, Northern Minnesota, and even Canada, this is the only variety upon which the grower may depend to ripen, and it is far better to have corn, even though it is red in color, than to have no corn at all. In Montana, North Dakota, Northern Minnesota and in high altitudes this variety can be relied upon to mature before any other dent corn, and, in fact, is the only sort to ripen in some seasons. No other one variety is as extensively grown in North Dakota as our Early Northwestern Dent, for the reason that season after season it successfully yields a good crop. Not only is it known in the localities named but for late planting or replants it is especially desirable. It is extremely early and quickly adapts itself to new soil and climatic conditions. Growers

have harvested 75 bushels to the acre and gathered seed from the crop in as many days, a strong tribute to its earliness and productiveness. Under ordinary corn growing conditions, Northwestern Dent will mature in eighty-five to ninety days, and under more favorable soil, cultivation and weather will mature much earlier. The ears are of good size, from seven to ten inches long, and bear 10 to 14 rows of corn. Under ordinary conditions the average height of stalk is 7 ft., 0 in.; average distance base of ear from ground, 3 ft., 5 in., thus admitting the use of a corn harvester. Early Northwestern Dent may be sown in check rows or in drills. The latter method is in favor in many localities. The stalks, being smaller and shorter than some of the later sorts, may stand close in row, thus contributing to a heavy yield. Notwithstanding the small ear, yields of seventy to eighty bushels per acre are not uncommon. This sort is also much grown for fodder and silo purposes on account of its earliness and adaptability. It will, of course, give best yields on a fairly rich soil. We have a very fine stock of seed on hand at present, but we wish to remind our customers of conditions which frequently develop during the season. Write for prices.



Northwestern or Smoky Dent Corn.

Minnesota No. 13 Corn

Extra Early Yellow Dent.

The commanding points of excellence which place Minnesota No. 13 Corn at the head of all yellow dent varieties for Northern planting are:

- Its earliness.
- Its enormous productiveness.
- Its adaptability to a great variety of soils and climates.

The ears are of handsome appearance bearing 16 to 20 rows of bright, rich yellow, smooth, wedge-shaped kernels packed closely on the cob from butt to tip. The ears average eight inches in length and are borne usually two on a stalk. No corn excels in quality the Minnesota No. 13, the cobs are well filled and the individual kernels plump and of good color.

Minnesota No. 13 thoroughly matures in ninety days when planted on favorable soil and in a good location, but ninety-five to one hundred days places it out of danger under average conditions. A variety of corn which will show such valuable characteristics is an acquisition on any farm, especially for planting in the Northwest where early frosts are common. It may be planted as late as the second week in June and yet safely mature a crop.


Another point to which particular attention should be directed is its adaptability to changes in soil and climates. Many varieties fail to do well when subjected to new conditions or require several years to become acclimated. Minnesota No. 13 Corn, however, will thrive and produce abundantly on most any soil and will do remarkably well under adverse conditions when other varieties would fail entirely.

The stalks grow to a height of seven feet and being leafy make excellent and very nutritious fodder.

We especially wish to impress upon the intending purchaser one fact, and that is the importance of ordering early. When the supply is gone it will be impossible to fill further orders for this variety, as we will not send out anything but genuine Minnesota grown seed corn of high germination.

Squaw

Extremely early and of very dwarf habit. We still grow this corn for those who want it, but we urge the planting of North Dakota White Flint, or North Dakota Yellow Flint in its place, as both of these varieties are fully as early, more productive, and make a much more vigorous growth. Average length of ears, $7\frac{1}{2}$ inches.



Minnesota No. 13 Corn.



North Dakota White Flint Corn.

North Dakota Yellow Flint (Gehu)

Resembles White Flint in earliness, habit of growth, etc., but the grain is yellow. Under normal conditions this variety will mature in 70 to 75 days. In localities where seasons are short and nights are cool it may be depended upon to give a crop. The yield must, of course, vary with conditions of soil, cultivation and season, but it has been no uncommon occurrence to secure a yield up to 75 bushels per acre. Gives an abundance of fodder of splendid quality. Average height of stalk, 5 ft.; average distance base of ear from ground, $1\frac{1}{2}$ ft.; average length of ear, 8 inches.

North Dakota White Flint

Resulting from a careful selection of Squaw Corn for many years. Very much better than the Squaw. Average height of stalk, 5 ft.; average distance base of ear from ground, $1\frac{1}{2}$ ft.; average length of ear, 8 inches. Ask for prices.

Yellow Fodder Corn

A tall growing Southern variety which is very popular all over the country. In Canada it seems to have the preference over any other sort, perhaps because it has been very widely grown and will produce a large tonnage in a short space of time. It grows very tall and very leafy. Drill $1\frac{1}{4}$ bu. to the acre in rows $3\frac{1}{2}$ feet apart.

GROW MORE CORN

The farmer who plants corn today will be the Rich and Successful farmer of tomorrow.

The man who raises twenty acres of Corn, keeps a few cows, hogs and chickens will not be worried when the wheat crop fails. Last year in some of the driest districts of the state where the wheat yielded only 4 bushels, corn made an excellent crop.



Barkemeyer's Glacier Alfalfa.

Alfalfa

Alfalfa, the most valuable forage plant ever discovered, was found in Asia. On account of originating in a warm climate it was thought for many years that it would be impossible to successfully raise Alfalfa in the cooler climates of the North, but its present wide distribution throughout the world indicates a remarkable adaptability to various soils and climates.

It is now the principal leguminous forage crop of all continents of the world and is one of the staple crops in the Western half of our country. By experimenting varieties have been produced which do well in the coolest climates of the North. The soils of Montana have been found to be well adapted to Alfalfa growing and on account of its high feeding value its production should be encouraged throughout the entire State of Montana.

Alfalfa is a soil builder and not a soil destroyer, like most grain crops now grown in Montana. The roots often reach the length of fifteen feet. This penetration not only loosens the soil for the roots of the next crop, but brings to the surface the phosphorus and potash stored below. The plant itself absorbs nitrogen from the air and stores it up in the ground, thus rendering a valuable service to the farmer and greatly enriching and increasing the productivity of the soil for crops which follow.

A few general rules can be laid down for Alfalfa culture, as different conditions require different methods. It is advisable, therefore, to do a great deal of experimenting in untried districts. Small tracts should first be planted in order to ascertain the correct method.

In selecting the field which is to be seeded the following conditions should be carefully considered: (1) depth and texture of the soil; (2) drainage; (3) fertility; (4) the need of inoculation; (5) the need of lime; (6) freedom from weeds. These are so vastly important that if any are neglected the growing of Alfalfa may be rendered impossible.

Soil: Alfalfa gives best results on deep, loose, open, friable soils. **Drainage:** Alfalfa does not do well where the water is nearer than six feet to the surface. Drained bottom lands are good but land slightly rolling or level and well drained are best. **Fertility:** Alfalfa being a legume is able to add nitrates to the soil through the nodules in forming bacteria within its roots. Since large yields of Alfalfa draw heavily on the other elements of soil fertility, it naturally requires the richest and best drained soil on the farm. **Inoculation:** Inoculation means putting into the soil the nitrogen-fixing germs or bacteria without which the Alfalfa will not flourish. On soils which do not naturally contain these germs, it is essential that they be artificially introduced. A small area may be seeded and inoculated the first year from which soil may be secured for larger areas in following seasons. There are two methods of securing this inoculation. First by procuring soil from a nearby Alfalfa field where the plants are vigorous and have an abundance of tubercles on their roots. 300 to 800 lbs. or more of soil should be used per acre, distributing as evenly as possible. The soil should be taken

The Best of all Plants for Hay and Pasture

in a moist condition and dried in the shade, then distributed over the field with a drill or broadcast, either in the evening or on a cloudy day, as the rays of the sun will kill the bacteria. A thorough harrowing of the field will so bury the inoculated soil that the germs will live.

Some of the state experiment stations will now supply soil, charging only the cost of handling. Artificial cultures or colonies of germs grown in laboratories and distributed in bottles or cans are now available. This method is the simplest as the inoculating liquid can be sprinkled over the seed just before planting. Use Alphano Inoculant.

Lime: Acid soil will not permit Alfalfa to grow. This is often the case where Corn or Wheat have been raised for many years. A simple test for determining acidity in soil is to make a deep cut in the ground with a knife, pushing the earth apart, then place a piece of litmus paper (procureable in any drug store) into the opening and press the earth together. Leave the paper a few hours. If it changes from blue to red it is proof of acidity. Lime is then needed to sweeten the acid soil. If agricultural lime can be bought at \$3.00 per ton it will pay to sprinkle from 1 to 2 tons per acre on the land before planting Alfalfa.

Weeds: Young Alfalfa plants are very tender and are apt to be killed by weeds during their earlier stages of growth. For this reason the land should be as free from weeds as possible. If a weedy soil must be used it should be plowed several months before seeding and several crops of germinating weeds destroyed by frequent harrowing.

Preparing the seed bed: The seed bed should be fine on top but thoroughly settled. The young taproot of the plant strikes down immediately and is apt to be injured if it strikes a layer of loose dry soil. The ground should be plowed at least six weeks before seeding, harrowed and disked immediately after plowing, then it should be worked after ten days or two weeks or at least after every rain until the seed is sown. In Montana summer fallowing is a splendid way to prepare ground for Alfalfa seeding.

Time of seeding: Alfalfa should be sown in Montana between the 15th of May and the 15th of June, depending on the warmth of the weather. The seed should be covered and not sown on the surface as is sometimes done with grasses and clover. It may be sown either with a drill or broadcast. It is best to sow half the seed one way across the field and the other half the other way at right angles to the line of the first sowing.

Depth of planting depends upon soil conditions; covering from three-quarters to one inch deep is usually sufficient on clay soils, but an inch and a half is necessary on the sandy soils or in semi-arid sections. From 3 to 12 lbs. of seed should be used per acre, depending on the evenness of the seed bed and preparation of soil.

If a nurse crop is used, Barley, Wheat or Rye are much better than Oats, as Oats require too much water and give too much shade. In using a nurse crop the Alfalfa seed and the grain should be sown separately and not mixed before seeding.

Grimm Alfalfa

Many years ago a man named Grimm came from Germany and settled near Minneapolis. He brought with him seed of an Alfalfa which, according to neighborhood statements, he called Norwegian Alfalfa. It became known, however, as Grimm's Alfalfa and obtained a more than local reputation on account of its productiveness and extra hardiness, for it survived winters that killed out many fields of other varieties. This was before the Montana or Northern grown alfalfa seed was procurable.

From the appearance of the seed Grimm cannot be distinguished from other varieties. A field of Grimm in blossom often shows a color variation in which shades of blue predominate, but occasionally yellow, brown and greenish blossoms appear. Neither the presence of variable blossoms nor a uniformity of color proves or disproves the genuineness of Grimm Alfalfa. Some fields of Grimm show all purplish blossoms, while other varieties than Grimm sometimes show a decided range of color.

Several large tracts of Grimm Alfalfa are now being cultivated both in the Yellowstone and Milk River Valleys of Montana, but the production of seed is very limited each year and the demand has always been greater than the supply.

Our seed is obtained direct from growers and we have their certificates as to the variety. Write for samples and prices and further information if desired.

Montana Dry Land Alfalfa

The extension of Alfalfa growing in the regions of Montana and the Northwest, where the rainfall is limited, has created a large demand for alfalfa seed especially adapted to these conditions. Seed which has been procured from alfalfa grown on dry land and without irrigation is of course preferable for dry land sowing to the seed raised under irrigation. We have taken special pains to secure good supplies of exactly this kind of seed, which we distribute to our customers under our GLACIER BRAND. The results from all the seed of this class which we have been selling have been most excellent and you may depend on it when you buy this brand of seed you are getting the hardiest and most adaptable variety of any of the ordinary alfalfa seeds sold.

ALSIKE OR SWEDISH CLOVER.

This is one of the hardiest varieties known. It is perennial and does not winter-kill. It will do better on moist land than any other variety of clover, and is suitable for either hay or pasture. When sown with other grasses, it forms a thick undergrowth and greatly increases the yield. It is frequently sown both with Medium Red Clover and with Timothy, and the quality of hay thus produced is excellent. Finer and more leafy than Medium Red Clover, and cattle prefer it.



Red Clover.



Sweet Clover.

Sweet Clover

Alfalfa's Twin Sister.

WHITE BLOSSOM SWEET CLOVER is becoming more popular each year as its value as a forage crop and also in enriching the soil is being discovered. It is no longer treated as a weed and gives promises of becoming a rival of alfalfa on many soils. It is a biennial plant and bears close resemblance, but is larger and closer in growth. It will grow in soils on which alfalfa cannot thrive and will make excellent growth on lands so hard and barren that they will sustain scarcely any other vegetation. Some claim that stock will not eat it but as soon as they acquire a taste for it they frequently consume it in preference to alfalfa or other pasturage.


Sweet Clover is a biennial, that is, it lives but two years. At the end of the second year the tops and roots die. If the plants are not allowed to go to seed its growth may be easily controlled. If a permanent sweet clover field is desired the second crop may be allowed to go to seed and there will be a splendid stand the following year.

YELLOW BLOSSOM SWEET CLOVER. This variety belongs to the same family as White Blossom but it is not so prolific in growth, will not produce so large a tonnage and does not grow quite so tall but is from ten days to two weeks earlier. The flowers are yellow instead of white. For hay purposes it is not so desirable as the White Blossom but on account of its earliness, fineness of stem and low growing and spreading habits, we strongly recommend it for pasture. Seven acres will produce sufficient excellent pasture for ten milk cows through the entire summer.

Red Clover

MEDIUM RED CLOVER. This is regarded as the most valuable of the Clover family. It is sometimes called June Clover and is a dependable all-around variety for farmers and stockmen. It makes two crops each year. The first is usually cut when it is in blossom for hay; the last crop may be harvested for seed, cut for hay, or plowed under to add fertility to the soil. It may be sown either in the spring or fall, and if no other grasses are used, at the rate of from 8 to 12 pounds to the acre, according to quality of seed used and conditions of the soil. Clover adds greatly to the fertility of the land on which it is grown. It does not exhaust the soil, but enriches it. It pays always to buy the best clover seed which can be obtained. Even though the first cost is twice as much as cheaper seed, it will be found in the long run that inferior seed is the most expensive, not only on account of less hay or seed being produced from it, but from the fact that one's land becomes infested with weeds.

MAMMOTH RED CLOVER. This is grown largely for pasture and to restore fertility to depleted soils. Being a rank grower, it is very valuable for fertilizing purposes. The foliage, flower and stem are darker in color than the Medium Red Clover. It ripens later, and makes only one crop. Especially valuable on light, sandy soils. 8 pounds of Glacier Brand Seed are sufficient to sow an acre on good soil. Ask for prices.



Golden Millet.

Bromus Inermis

Drought defying, frost resisting. Yields enormous crops of splendid hay and affords early and abundant pasturage. It adapts itself to almost every condition of soil and climate and to any use to which grass may be put, equaling in quality and rivaling in yield almost any other grass. It starts from two to three weeks earlier in the spring than native prairie grass and it keeps green in the autumn longer than any of the useful grasses grown in the West. No amount of cold seems to be able to kill it. It bears up well under conditions that are very dry, and it can also stand being covered with water, not deep, of course, for one or two weeks in the early spring.

It does best on rich soil and lasts longer when Clover or Alfalfa is sown with it. The Clover or Alfalfa will then keep supplying nitrogen to the soil and thus help to nourish the Brome Grass, which would otherwise soon exhaust the soil's nitrogen. If sown with a nurse crop that crop should be sown thinly. Grows slowly for a time, hence the farmer should not be hasty in concluding that he has failed to get a stand.

Sow the seed as deep as oats, since shallow seeding often causes failure. If plenty of moisture is present in the soil it should be sown in the fall, otherwise spring is better. Sometimes sown with Winter Wheat.

This grass may be sown at any time of the year when the ground is bare, but the best season is in the spring, and with or without a nurse crop. 15 pounds of good *Bromus Inermis* an acre is sufficient.

Orchard Grass

(*Dactylis Glomerata*). A valuable grass for pasture or hay land, and on account of its earliness is very valuable for a permanent pasture. It furnishes the first green grass in spring and stays green until late fall. When closely cropped it grows up very quickly and is ready for grazing again in 10 to 12 days. It will stand drought and is hardy. It grows in tufts, and is therefore best sown with Red Clovers, Rye Grass, etc. It is well suited for shady places, such as orchards and groves. Grows on all kinds of land but does best on deep, rich sandy loam or clay soils. Sow 22 lbs. to the acre.

Glacier Brand Lawn Grass Seed

The smooth velvety lawn surrounding a house adds not only to its value, but enhances the enjoyment of every home. Properly made, a lawn is as satisfactory as any investment a home owner can make. After careful experiments for several years we have discovered the proper mixture of grass seeds for making the best lawn in Montana. Our Glacier Brand Lawn Seed contains 20 per cent of white clover and 80 per cent Kentucky Blue Grass and is free from all foul seeds. Ground should be reduced to a firm well pulverized seed bed, then seed should be sown at the rate of one pound per 350 square feet and covered to a depth of one-quarter inch. For the first month or six weeks a thin covering of light manure or straw should be kept on the lawn, keeping this well watered.

Timothy

As a crop for hay, Timothy is probably unsurpassed by any other grass. It is greatly relished by all kinds of stock, especially horses. It yields more nutritive matter than any other grass or forage plant. It is not suited for a permanent pasture as it will in the course of a few years run out. It is, however, well adapted to early spring grazing as it starts up quickly in the spring, and in favorable fall weather can be pastured in the autumn as well.

Red Top

SOLID SEED. A valuable grass for moist rich soils where it thrives very luxuriantly. It is a good variety to sow with Timothy and Clover for meadow pasture, and is more permanent than either of the other two. It should be fed close, as if it is allowed to grow up to seed, the cattle dislike it. On good soil it grows about two feet high; on poor, gravelly land about half that height. It has been grown successfully even on alkali land where other grasses failed. Red Top is commonly known as Herd's Grass and should be more extensively grown, especially in combination with other grasses. Solid Seed Red Top is free from chaff and weighs 14 pounds to the bushel. Only ten pounds of "Glacier" Brand required to the acre.

Meadow Fescue OR ENGLISH BLUE GRASS.

We regard this as one of the most valuable grasses, as it adapts itself to different conditions of soil and climate. Especially suited for permanent pastures; also fine for hay. It gives a large amount of early and late pasture, and when cut for hay, yields from 2 to 4 tons per acre of fine quality and very nutritious feed. It is a persistent grower; its roots penetrate deeply; it does well on wet or dry bottoms, hillsides, gravelly, clay, and loamy lands. It never freezes out or winter-kills, and is not easily affected by drought. Sow 15 to 25 pounds per acre.

Western Rye Grass

(*Agropyron Tenerum*). Sometimes called Slender Wheat Grass. It affords excellent pasturage and provides large quantities of hay. It thrives on all soils, but is peculiarly adapted to prairie soils. It gives good returns on land quite strongly impregnated with alkali and fits it so that grain may be grown successfully.

When sown alone as is the common practice, the seed should be put in from 1 to 3 inches deep, according to soil and season, 15 pounds to the acre. If sown with *Bromus Inermis*, 7½ lbs. of each. Ask for prices.

Millet

GOLDEN MILLET. Formerly called German Millet. True Southern grown seed. In the North, Millet is sown almost altogether for hay, and for that purpose Southern grown seed is much the best. It grows taller than does that from Northern seed, and that means better hay. Millet seed produced in the North, even from Southern seed, becomes what we call Common Millet. Not only does the plant change in character, becoming coarse and much more dwarf, but the seed itself shows a change, and is readily distinguished by those experienced in handling it.

Golden Millet is very sweet, palatable, and when fed to dairy cows, produces a large amount of milk. On good rich soil it grows four to five feet high. It is very tender if cut at the right stage, which is when it is in full bloom. About three-fourths of a bushel of seed is sown to the acre. A good yield is from three to five tons of hay to the acre. Ask for prices.

HOG OR BROOM CORN MILLET. This makes an inferior hay unless cut very young. It yields enormously of seed, even 60 to 70 bushels to the acre, and this is very advantageously used for fattening swine and other stock. Seed also makes very fine feed for poultry and young chicks. It will mature in about two months from sowing seed. Ask for prices.

White Lawn Clover

WHITE OR DUTCH CLOVER. This is a low, close growing clover, round with white heads and very fragrant, excellent for pasture and when mixed with Kentucky Blue Grass makes the finest kind of a lawn and is universally used for this purpose in the United States. It also makes excellent pasture and is very nutritious for sheep and cattle. It does well on most any soil.

Sow 5 to 8 lbs. per acre alone for pasture; for lawn, 1 lb. to 400 square feet. See our price list for prices.

KENTUCKY BLUE GRASS. This makes the best, sweetest and most nutritious pasture for all kinds of stock. It is very hardy and is uninjured by cold or dry weather, hot sun or trampling of hoofs. The roots are so thick and stout that they form a tough sod. Blue Grass requires two years to get well started and for that reason it is often sown in mixture with other grasses. Sometimes called "June Grass". From 20 to 25 pounds of "Glacier" Brand seed required to the acre when sown alone.

ALPHANO INOCULANT

The All-In-One Nitrogen Gathering Inoculant for Over 28 Legumes



The top Alfalfa was grown on well limed soil, from inoculated seed. The lower one from uninoculated seed.

All farmers know that certain crops, such as alfalfa, clover, soy beans, cow peas, etc., make the ground richer instead of poorer. They do this because they extract air nitrogen, with the assistance of certain beneficial soil bacteria, instead of expensive nitrate or tankage. If the bacteria are not present in the soil, you do not get the enriching effect from these crops.

A great many failures with alfalfa, clover, and other legumes are due to lack of inoculation. For the small cost (only \$1.00 per acre) you cannot afford to run the risk of losing valuable seed and having your land bare for want of inoculation. Besides, the fertility which it will bring to the soil is worth many times its cost.

Formerly farmers used either soil from a field which had previously produced the particular crops, or they used a commercial jelly culture. The greater convenience and the assur-

ance of getting pure, strong bacterial cultures by the Alphano method has caused many farmers to forsake the old soil method. The inferior nature of the jelly cultures is apparent. They are good from one to six months only, hard to apply and uncertain. Alphano Inoculant is fully guaranteed for two years. Judge for yourself which should be the better material, or better still, write to Newark, Delaware, for Bulletin 115 of the Delaware Experiment Station. This gives full authentic information, after several years of experiment, regarding the merits of Alphano Inoculant.

With drainage and proper soil conditions, Alphano Inoculant is warranted to produce nodules on any and all the specified clovers and other legumes—if it does not we will return the money.

Your county agent has been advised of this guarantee and we suggest you get in touch with him. He will tell you how best to prepare your soil for the legume you wish to grow.

Important

Instead of one bacteria culture for each different plant, we put all the necessary bacteria into the one can. You simply rub the seed and moistened inoculant together and they are ready for planting. So much simpler and quicker than any other inoculating medium. In addition, Alphano Inoculant carries other beneficial forms of soil bacteria, which make its use advantageous on any soil for any crop.



Photographic reproduction of a group of Radicicola Bacteria, magnified a million times. It is one of the busiest of the air nitrogen gathering root knob or nodule forming kinds.

Prices: One Acre, \$1.00; Ten Acres, \$8.00

Cyclone Seed Sower

This unique and inexpensive little seed sower is a wonder, and after you have once used it you would not be without it for ten times the price. It will sow five acres per hour so evenly and correctly that three bushels will do the work of four.

This seeder will sow any seed that is sown broadcast, such as oats, wheat, rye, flax, millet, clover, timothy, grass seed, etc. It can be very readily adjusted to suit the seed being sown. The feed plate and agitating device are of heavy sheet steel and all adjustments of spring steel. The hopper is of heavy duck and holds about one-half bushel. This machine has also a patented interlock, double flange, non-solder-joint distributing wheel, which is itself worth the price of the sower. It will be found the strongest, neatest and most compact hand seed sower made. By freight or express, \$2.00; by mail, postpaid, \$2.15. Mailing weight, 6 pounds.



Zenith Adjustable Cultivators



ZENITH

Forged; Malleable Iron Socket and Head. Prongs can be removed or adjusted as desired. 4 1/3 feet. Best Grade Handle, Smoothly Finished. Four Prong, \$1.20 each. Five Prong, \$1.50 each.

Vegetable Seed Price List

	Page	Pkt.	Oz.	1/4 lb.	1 lb.	5 lbs.	10 lbs.
ASPARAGUS							
Conover's Colossal	1	\$0.10	\$0.15	\$0.35	\$1.00		
Palmetto	1	.10	.15	.35	1.00		
BEANS							
Currie's Rust Proof Black Wax	2	.10	.15	.45	.45	\$1.40	
Davis White Wax	2	.10	.15	.45	.45	2.00	
Improved Black Wax	2	.10	.15	.45	.45	2.00	
Improved Golden Wax	2	.10	.15	.45	.45	2.00	
Long Yellow Six Weeks	2	.10	.15	.45	.45	2.00	
Stringless Green Pod	2	.10	.15	.40	.40	1.90	
Black Valentine	2	.10	.15	.40	.40	1.90	
Scarlet Runner	2	.10	.20	.45	.45	2.20	
Burpee's Bush Lima	2	.10	.20	.50	.50	2.25	
Kentucky Wonder Pole	2	.10	.15	.45	.45	2.00	
Choice Navy	2	.10	.25	1.00			\$1.75
BEETS							
Market Gardeners	3	.10	.15	.45	.45	1.40	
Detroit Dark Red	3	.10	.15	.45	.45	1.40	
Early Blood Turnip	3	.10	.15	.40	.40	1.40	
Edmand's Improved Blood Turnip	3	.10	.15	.40	.40	1.30	
Extra Early Egyptian	3	.10	.15	.40	.40	1.30	
Swiss Chard or Spinach Beet	3	.10	.15	.45	.45	1.40	
SUGAR BEETS							
Giant Feeding or Half Sugar White Mangel	3	.10	.15	.30	.90	4.00	
Wanzleben	3	.10	.15	.35	1.00	4.50	
MANGEL WURZEL							
Improved Mammoth Long Red	3	.10	.15	.30	.90	4.00	
Improved Golden Tankard	3	.10	.15	.30	.90	4.00	
Giant Red Eckendorf	3	.10	.20	.35	1.10	5.00	
CABBAGE							
Washington Wakefield	4	.10	.50	1.75	5.00		
Early Winingstadt	4	.10	.50	1.75	5.00		
Copenhagen Market	4	.10	.60	1.85	7.00		
Allhead Early	4	.10	.50	1.75	5.00		
Early Summer	4	.10	.50	1.75	5.00		
Surehead	4	.10	.50	1.75	5.00		
Premium Late Flat Dutch	4	.10	.40	1.25	4.50		
Improved American Drumhead Savoy	4	.10	.50	1.50	5.00		
Holland (Imported Stock)	4	.10	.60	2.00	6.00		
Danish Short Stem	4	.10	.60	2.00	6.00		
CARROTS							
Chantenay	5	.10	.15	.45	.45	1.25	
Danvers Half Long	5	.10	.15	.45	.45	1.35	
Early Scarlet or Short Horn	5	.10	.15	.45	.45	1.35	
Oxheart or Guerande	5	.10	.15	.45	.45	1.25	
Mastodon Carrot	5	.10	.15	.45	.45	1.40	
Large White Belgian	5	.10	.15	.40	.40	1.00	
Half Long Scarlet Nantes, Stump Rooted	5	.10	.15	.35	.35	1.00	
CELERERY							
Golden Self Blanching	5	.10	.75	2.35	8.00		
White Plume	5	.10	.35	1.15	3.50		
CAULIFLOWER							
Model	5	.10	3.00	10.00			
Snowball	5	.10	3.00	10.00			
Extra Early Dwarf Erfurt	5	.10	2.50	9.00			
CELERIAC							
Large Erfurt	6	.10	.25	.75	2.50		
CORN SALAD or FETTICUS							
6	.10	.25	.75	2.75			
CHERVIL							
Curled	6	.10	.40	1.35			
Tuberous Rooted	6	.10	.40	1.35			
CHICORY							
POP CORN							
White Rice	6	.10	.15	.35	1.25	2.00	
SWEET CORN							
Peep O'Day	6	.10	.15	.35	1.60	2.75	
Early Minnesota	6	.10	.15	.35	1.50	2.50	
Extra Early White Cory	6	.10	.15	.35	1.50	2.50	
Golden Bantam	6	.10	.15	.35	1.60	2.75	
CUCUMBERS							
Glacier	7	.10	.15	.50	1.50		
Cool & Crisp	7	.10	.15	.45	1.35		
Davis Perfect	7	.10	.15	.45	1.35		
Early Frans or Short Green	7	.10	.15	.40	1.25		
White Spine Evergreen	7	.10	.15	.40	1.25		
EGG PLANT							
Improved New York Spineless	7	.10	.70	2.10	7.00		
ENDIVE							
Green Curled	7	.10	.20	.50	1.50		
White Curled	7	.10	.20	.50	1.50		
KALE or BORECOLE							
Dwarf German	7	.10	.20	.60	2.00		
Tall Green Curled	7	.10	.20	.60	2.00		
GARLIC BULBS							
KOHL RABI							
Early White	7	.10	.30	1.00	3.00		
LEEK							
Large American or Broad London	7	.10	.30	.75	2.75		

	Page	Pkt.	Oz.	1/4 lb.	1 lb.	5 lbs.	10 lbs.
LETTUCE							
Loose Leaved Varieties							
Early Curled Simpson	8	\$.05	\$.15	\$.40	\$1.35		
Grand Rapids	8	.05	.15	.40	1.30		
HEADING VARIETIES							
Prize Head	8	.05	.15	.35	1.15		
Improved Hanson Head	3	.05	.15	.45	1.65		
May King	8	.05	.15	.45	1.40		
MUSTARD							
Southern Giant Curled	8	.10	.15	.40	1.25		
MUSKMELOON							
Yellow Meated Japan	8	.10	.15	.45	1.50		
Osage or Miller's Cream	8	.10	.15	.50	1.60		
Rocky Ford Cantaloupe	8	.10	.15	.45	1.50		
WATERMELON							
Citron for Preserves	9	.10	.15	.35	1.15		
Kleckley's Sweets	9	.10	.15	.40	1.25		
Phinney's Early	9	.10	.15	.35	1.00		
ONIONS							
Minnesota Red Globe	9	.10	.30	.90	3.00		
Large Red Wethersfield	9	.10	.35	.90	3.00		
Yellow Danvers, Flat or Round	9	.10	.25	.80	2.75		
Yellow Globe Danvers	9	.10	.25	.80	2.75		
White Portugal or American Silver Skin	9	.10	.30	.90	3.00		
Australian Brown	9	.10	.30	.90	3.00		
Southport White Globe	9	.10	.35	1.00	3.25		
ONION SETS							
White Bottom Sets	9				.30	1.30	
Red Bottom Sets	9				.25	1.10	
Yellow Bottom Sets	9				.25	1.10	
Yellow Multiplier	9				.30	1.30	
PARSLEY							
Dark Moss Curled	10	.10	.15	.45	1.50		
Turnip Rooted or Hamburg Parsley	10	.10	.20	.50	1.75		
PARSNIPS							
Sweet Marrow	10	.10	.20	.50	1.50		
Guernsey	10	.10	.15	.50	1.50		
Improved Hollow Crown	10	.10	.15	.45	1.30		
PEPPERS							
Large Bell or Bull Nose	10	.10	.60	2.00	7.00		
Long Red Cayenne	10	.10	.65	2.25	7.25		
Ruby King	10	.10	.65	2.25	7.25		
PUMPKIN							
Early Sugar or Pie	10	.10	.15	.35	1.25		
Connecticut Field	10	.10	.15	.35	1.25		
Large Cheese or Kentucky Field	10	.10	.15	.30	1.00		
Mammoth Prize	10	.10	.20	.50	1.75		
PEAS							
Extra Early Dwarf Wrinkled Varieties							
American Wonder	11	.10	.15	.45	2.00	3.25	
Little Gem	11	.10	.15	.45	2.00	3.25	
Nott's Excelsior	11	.10	.15	.45	2.00	3.25	
Extra Early Round Seed Variety							
Alaska	11	.10	.15	.40	1.90	3.00	
Early Wrinkled Varieties							
Advancer	11	.10	.15	.45	2.00	3.00	
Carter's Daisy	11	.10	.20	.50	2.25	3.75	
Gradus	11	.10	.20	.50	2.25	3.75	
Dwarf Gray Sugar	11	.10	.20	.50	2.25	3.75	
Main Crop Varieties							
Telephone	11	.10	.20	.45	2.00	3.50	
Champion of England	11	.10	.20	.45	2.00	3.50	
White Marrowfat	11	.10	.15	.30	1.40	2.65	
Black Eyed Marrowfat	11	.10	.15	.30	1.40	2.65	
RADISHES							
Early Deep Scarlet or Non Plus Ultra Forcing	12	.05	.15	.40	1.25		
Early Scarlet Globe	12	.05	.15	.40	1.25		
Sparkler	12	.05	.15	.40	1.25		
French Breakfast	12	.05	.15	.40	1.25		
White Icicle	12	.05	.15	.40	1.25		
White Strasburg	12	.05	.15	.45	1.25		
China Rose Winter	12	.05	.15	.45	1.35		
Long Black Spanish Winter	12	.05	.15	.45	1.35		
SALSIFY or VEGETABLE OYSTER							
Sandwich Island	12	.10	.25	.75	2.50		
SPINACH							
Long Standing	12	.10	.15	.40	1.25		
Round Thick Leaved	12	.10	.15	.40	1.25		
RUTABAGA							
Prize Winner	13	.10	.15	.35	1.20		
American Purple Top	13	.10	.15	.35	1.20		
Sweet German	13	.10	.15	.35	1.20		
SQUASH							
Improved Hubbard	13	.10	.20	.60	2.00		
Gregory's Delicious	13	.10	.15	.50	1.75		
Golden Hubbard	13	.10	.20	.60	2.00		
TOMATO							
Glacier	13	.10	.50	1.50	5.00		
Early Minnesota	13	.10	.40	1.25	4.50		
Ponderosa	13	.10	.60	1.75	6.00		
Spark's Earliana	13	.10	.40	1.20	4.00		
Husk Tomato	13	.10	.50	1.50	3.50		
Dwarf Champion	13	.10	.50	1.50	5.00		
TURNPURP							
Purple Top Strap-leaved	13	.10	.15	.40	1.25		
Purple Top White Globe	13	.10	.15	.40	1.25		
HERBS							
Caraway	14	.10	.25				
Dill	14	.10	.25				
Sweet Marjoram	14	.10	.65				
Sage	14	.10	.35				
Summer Savory	14	.10	.65				

INSECTICIDES

INSURE YOUR GARDEN AND ORCHARD AGAINST BUGS

HAMMOND'S SLUG SHOT.

Get a better potato crop by ridding the field of potato bugs. Hammond's Slug Shot is better than Paris Green for this purpose and is much cheaper. It is thoroughly reliable in killing Cabbage worms. Currant worms, slugs, Chicken lice, etc. Contains fungicides also, which greatly improve the health and vigor of the plant. More of this sold than any other poison powder. It pays to keep a supply of Slug Shot on hand for winter use. Lightly dusted on, it kills chickens, cows, and calves of lice and other vermin. Postpaid, 1 lb. perforated can, 25c; 5 lb. pkg., 80c; 10 lb., pkg., \$1.45.


"BLACK LEAF 40" NICOTINE SULPHATE.

"Black Leaf 40" is a concentrated solution of nicotine-sulphate guaranteed to contain 40 percent nicotine by weight. It is a contact insecticide. It kills insects when and only when brought into contact with their bodies. It mixes readily with water, does not clog the spray nozzles, nor does it injure foliage if diluted as recommended.

Especially valuable to kill striped bug on cucumbers, cabbage and melon louse, excellent for spraying chicken coops and getting rid of all kinds of lice on stock, cats and dogs. Can be used with Bordeaux Mixture in spraying trees and plants. Price, 1 oz., 25c—makes six gallons of spray; ½ lb., \$1.00—makes forty to fifty gallons of spray. Cannot be sent by mail.

DR. LE GEAR'S SPRAYER.

This sprayer is strong and well made. It is used to apply all kinds of insecticides on plants and is unsurpassed for applying dips and fly killers on stock. It is very handy in disinfecting poultry houses, hog houses, etc. Price, 75 cents; postpaid, 85 cents.



Dr. LeGear's Sprayer.

COMMERCIAL FERTILIZER.

This fertilizer is adapted to a wide range of uses but is especially good for lawns or gardens, containing approximately 2 per cent ammonia (nitrogen), 20 per cent phosphoric acid, and 2 per cent potash. Nearly all soils are deficient in nitrogen but clay soils need this more than sand and black soils. Phosphoric acid causes a quick growth and potash adds strength to the plant. For lawns use from 10 to 15 lbs. per thousand square feet. Early in the spring, as soon as the frost is out of the ground, scatter evenly and carefully. Application just before a rain is preferable but if this is not possible wet it down with the hose. For gardens, use about 15 lbs. per thousand square feet, working it up well with the soil. It can be used later by scattering around the plants or between the rows. Prices, 5 lbs., 45c; 10 lbs., 75c; 25 lbs., \$1.50; 50 lbs., \$2.75; 100 lbs., \$5.00.



THE SPOTTED BAG HITS THE SPOT WITH CALVES



COMBINATION SPRAYER AND DUST GUN.

Any mason jar can be used with this sprayer. This is a very desirable feature as it enables you to change from liquid to powder or from one liquid or powder to another by simply changing jars. It is very effective in either dusting or spraying. You can use it for the garden pest, for the poultry house and for the shoo fly. It is well made, all purpose sprayer. Price, each, 95c; postpaid, \$1.05.

RED SNAPPER PLANT FOOD.

This is a highly concentrated fertilizer adapted especially for the use of the housewife who grows plants or flowers and everyone raising vegetables, berries or small fruits.

Thoroughly sterilized, clean and sanitary, easily applied and means success in growing flowers.

Prices: 10 oz. pkg., 40c; postpaid, 45c; 2 lb. pkg., 60c; postpaid, 75c; 5 lb. pkg., \$1.00; postpaid, \$1.20.



GLACIER CHICK STARTER.

Until the chicks are 24 hours old they should be fed nothing. After that time they should be given plenty of fresh water to drink and fed often, care being taken to give them the proper feed but not too much of it. Our Glacier Chick Starter is made up of grains and seeds and contains the necessary materials to nourish the chicks and cause a rapid growth.

GLACIER CHICK FEED.

This chick feed is a combination of grains, seeds and grit making an ideal balanced ration for chicks over three weeks old. It contains the proper ingredients for making bone and feathers and will keep the chicks growing and healthy. Avoid letting the chicks get wet or chilled and see that they get sunshine and plenty of exercise.

GLACIER SCRATCH FEED.

This is a well balanced ration made up of pure clean grains and seeds in just the right proportion to promote health and vigor and produce eggs. Hens should be kept busy scratching for their feed and in cold weather should be kept in a good warm house. A little care and good feed will make your hens pay.

RYDE'S CALF MEAL.

The Complete Milk-Equal.

This is in reality a substitute for milk—and should not be considered as an ordinary "feed" or "meal."

It contains all the elements of milk and when properly prepared becomes a "baby food" for calves and colts. It is just the thing for weaning calves as soon as they can be taken away from the cow. Then all the milk may be sold and you get the benefit of the high creamery prices.

It is absolutely the only milk-substitute that contains all the elements necessary for rapid and healthy growth, and the only calf meal that is thoroughly cooked and prepared for digestion.

Will push calves and colts forward better and quicker than any other food. 100 pounds makes 800 gallons of Complete Milk-Equal.

Poultry Supplies

Automatic Fountain and Chicken Feeder



Patent applied for.

This appliance for chicks, feeds water, grain, grit, etc., automatically. It is an absolutely sanitary fountain made to fit any half-gallon, quart or pint Mason Jar. We do not furnish jars. Price, 15c each, postpaid.

Standard Grit and Shell Box


This Grit and Shell Box has slanting front, inclined top and round bottom to trough. Just the thing to hold oyster shell, charcoal and grit for a small flock of fowls.

Price of Grit and Shell Box.....\$1.40

Shipping weight, 2 lbs. each



Improved Handy Hopper



The Improved Handy Hopper is made of galvanized iron throughout. All parts are spot welded together. It is provided with hinged lid over both hopper and trough, making it rat and mouse proof, as well as dirt proof.

It is provided with a swinging front, adjustable to suit any kind of dry mash and which eliminates any possibility of clogging. Hopper is 15 inches in height and 4 1/2 inches in width.

No. 1—12 inches in length.....\$1.75

Shipping weight, 8 lbs.



Baby Chick Feed Hopper

This hopper is made of Galvanized Iron throughout. It is designed especially for feeding baby chicks. The hopper is 8 inches in height and about 2 3/4 inches wide. It is made with an adjustable swinging front that eliminates any possibility of clogging.

10-inch size\$1.30



Shipping weight, 3 lbs.

Improved Drop Bottom

Fountains

Single Wall

This fountain combines the good qualities of the three fountains—Economy, Flat Back and Drop Bottom—which we formerly listed.



The pan, which forms the trough, is hinged at the back and fastened by a catch in front. The flat back allows the fountain to be firmly placed against the wall and the drop bottom enables the fountain to be thoroughly cleaned and kept in a sanitary condition.

No. 2—1 gallon\$1.25

Shipping weight, 4 lbs.

No. 2—1 gallon\$1.30

Shipping weight, 5 lbs.


Double Clinch Aluminum Leg Bands

These bands are light, neat and strong. They are easily put on, and the double clinch makes it impossible for them to come off.

One size only is required for all varieties of fowls. In the case of bantams or other small fowls where the bands are too long, they are easily cut off with any ordinary scissors. Stock Nos., 15c per doz., postpaid; 75c per 100.



Poultry Punches



The Pettey Poultry Punch for marking chicks by punching the web of the feet is made of steel, nickel

plated. It is substantially made, cuts a clean hole, and is convenient to use.

Price, postpaid\$0.25

The Oakes Electric Hen-Incubator and Brooder

(Two Machines in One)

The most complete and convenient little incubator made. Works automatically. Simply attach to electric light plug and place in the house and your eggs are hatching.

60-Egg Oakes Electric Incubator, complete with thermometer, hover-curtain and legs, price.....\$21.00

Shipping weight about 25 lbs.

100-Egg Oakes Electric Incubator, complete with thermometer, hover-curtain and legs, each.....\$30.00

Shipping weight about 40 lbs.

Dr. LeGear's Remedies

Dr. L. D. LeGear is a graduate of the Ontario Veterinary College at Toronto, Canada, and for 28 years has been a practising veterinary surgeon. Dr. LeGear's Poultry and Stock Remedies are made from the purest ingredients, strictly in accordance with his personal formulas and prescriptions. All the remedies have been thoroughly tested and proven before going on the market. All remedies recommended by Dr. L. D. LeGear are of uniform strength and quality and carefully prepared and put up in large packages with full directions for use. Look for his trade-mark on packages.

Dr. LeGear's Poultry Prescription

Used in Dr. LeGear's own poultry yards for 28 years. Aids fowl's digestion, tones up their system so they get more good from the food they eat. Improves the male's vitality, increases the percentage of egg fertility, and the number of chicks that live. Shortens the moult and strengthens the egg-producing organs as nothing else will, producing eggs when eggs mean dollars. In National Egg Laying Contests, hens that make highest egg records and have shortest moults are given a tonic each day. Buy the best known tonic. Small pkg., 30c; medium pkg., 60c; large pkg., \$1.20; 25 lb. pail, \$3.00.



Dr. LeGear's Lice Killer (Powder)

Saves millions of baby chicks, stops the tremendous egg loss from lousy hens. Guaranteed to rid your poultry of lice. Powder the mother hens when you set them, dust each fowl carefully around the vent, under the wings and between the legs, then watch the lice go. Used by Dr. LeGear during his 28 years of successful poultry raising and veterinary practice. Has accomplished wonders for thousands of poultry raisers. Give it a trial. Put up in 1-lb. sifting-top cans. Price, 30c; postpaid, 40c.

Dr. LeGear's Head Lice Remedy

A safe eradicator of lice from the heads and under the wings of chicks. A very light application is sufficient. It stops short the greatest enemy to poultry. It gives the chick a chance at a time when quick growth and vigor mean everything. Don't let lice get a start. In a single day they will do untold damage. Be prepared for the first signs of droopy chicks, by having Dr. LeGear's Head Lice Remedy on hand. Put up in 2-oz. cans. Price, 30c; postpaid, 35c.




Dr. LeGear's Cholera Remedy

Valuable for diarrhoea, dysentery, indigestion, and bowel troubles commonly called cholera. May be used as a wash for drinking and feeding vessels, and can be put in the drinking water and feed to ward off or cure attacks of bowel trouble. Should be used in conjunction with Dr. LeGear's Dip and Disinfectant, and Dr. LeGear's Poultry Prescription. As prevention is always better than curing the birds after they become sick, Dr. LeGear's Cholera Remedy should be kept on hand, to be used at the first signs; and as a preventive, even when there are no signs of bowel trouble. Price, 30c; postpaid, 40c.



Dr. LeGear's Roup Remedy

For roup, colds and other catarrhal affections. Tried out and proved by Dr. LeGear himself in his own world-famous poultry yards. Guaranteed to give satisfaction or money refunded. Roup needs prompt action and a reliable remedy. Keep a can of Dr. LeGear's Roup Remedy on hand. At the first signs of colds, separate the affected fowls from the rest, and positively stamp out the disease before it spreads. Get a package today and have it on hand when needed. Price, 30c; postpaid, 40c.



Dr. LeGear's Sore Head Remedy

For all sores, injuries and diseases of the comb, wattles, face and head, such as sore head (chicken pox), frost bites, etc. Good for all kinds of poultry, pigeons, etc. An application each day for a short time will remedy these ailments quickly. If the sores are at all serious separate the fowls from the others in a clean, dry place, thoroughly disinfected with Dr. LeGear's Dip and Disinfectant, and give Dr. LeGear's Poultry Prescription with the feed, twice each day. Dr. LeGear's Sore Head Remedy comes in 2-oz. tin boxes with friction top, that keeps it airtight and clean. Price, 30c; postpaid, 35c.



Dr. LeGear's Stock Powders

Of Special Importance to Dairymen.

When fed Dr. LeGear's Stock Powder regularly, cows give more milk, hogs add weight faster, horses are able to do more work. Tonic, conditioner, appetizer and worm expeller. Tones up the system, purifies the blood, wards off diseases and cures coughs, colds, distemper, kidney trouble, hide bound, etc. Price, per pkg., 60c.

Dr. LeGear's Dip and Disinfectant

A most valuable poultry remedy used as an antiseptic or in disinfecting and keeping poultry houses clean and healthful. One part of Dr. LeGear's Dip and Disinfectant with fifty parts water used as a spray will rid your houses, brooders, incubators and yards of disease germs, lice and vermin.

To rid fowls of lice dip them in a solution of one part of Dr. LeGear's Dip and Disinfectant to eighty of water. An invaluable disinfectant, germicide, insecticide and deodorant—no poultry yard should be without it. Qt. can, 75c; gal. can, \$2.00.



Barkemeyer Grain & Seed Company

Seed Merchants

GREAT FALLS, MONTANA

POSTAGE

Garden Seeds priced by the packet, ounce, one-fourth pound and pound are postage paid. Peas, Beans, Onion Sets, Corn, Grass and Field Seeds and Sundry Articles are not postpaid. On these regular Parcel Post charges.

WRITE NAME AND ADDRESS VERY PLAINLY. SEND MONEY WITH ALL ORDERS. NO C. O. D. SHIPMENTS.

Send by State Whether by Mail
Express or Freight

Date _____

AMOUNT ENCLOSED

P. O. Order \$ _____

Exp. Order \$ _____

Bank Draft \$ _____

Cash \$ _____

Check \$ _____

Stamps \$ _____

Total \$ _____

Name _____

Post Office _____ State _____

Shipping Station _____

(Name of R. R. Town.)

If there is no agent at your station please send money to pre-pay freight.

Barkemeyer Grain & Seed Co. give no warranty, express or implied, as to description, quality, productiveness, or any other matter, of any seeds, bulbs, or plants they send out, and they will not be in any way responsible for the crop.

QUANTITY	ARTICLES	DOLLARS	CENTS

From _____

P. O. _____ State _____

BARKEMEYER GRAIN & SEED CO.

Seed Merchants

GREAT FALLS, MONTANA

(Over)

QUANTITY	ARTICLES	DOLLARS	CENTS

Give below names of any neighbors you believe would be interested in having our catalog.

Price List of Field and Grass Seeds

Barkemeyer Grain and Seed Co. Great Falls, Montana



We quote today subject to market changes. Bags weighed in free. Prices all F. O. B. Great Northern and C. M. & St. Paul depots, Great Falls. Goods invoiced at lowest price on date of shipment. Samples and tests sent on application.

Disclaimer: We exercise great care to have all seeds true to description but give no warranty, expressed or implied, as to description, purity, productiveness or any other matter of any seeds sent out, and will not be responsible in any way for the crop.

THIS LIST CANCELS ALL
PREVIOUS LISTS

Terms Cash

PRICE EFFECTIVE FEB. 9.

ALFALFA

	Per 100 lbs.
Montana Glacier Brand	\$26.00
Montana Choice	25.00
Kansas Grown Fair	20.00
Montana Grimm Certified	60.00

CLOVERS

	29.00
Medium Red	30.00
Mammoth Red	36.00
Alsike	60.00
White	15.00
Sweet Clover, White Blossom, Glacier Scarified	15.00
Sweet Clover, Yellow Blossom, Scarified	15.00

GRASS SEEDS

	9.00
Timothy Montana Glacier	22.00
Red Top Solid Seed	18.00
Brome Grass	22.00
Western Rye Grass	37.00
Orchard Grass	8.00
Kentucky Blue Grass	42.00
Sudan Grass	26.00
Lawn Grass Mixture	5.50
Meadow Mixture	5.50

MILLET

	6.00
German	5.50
Hog or Broom Corn	5.50
Common	5.50
Siberian	5.50

BUCKWHEAT

	5.50
Japanese	5.50
Silver Hull	5.50

RAPE

	11.00
Imported Sowing	

VETCH

	22.00
Winter or Hairy	12.50
Spring	

SORGHUM

	5.50
Amber Cane (for Fodder)	

SUNFLOWER

	10.00
Mammoth Russian (for Silage)	

BEANS

	11.00
Great Northern (large Navy)	

PEAS

	7.50
Canadian Field	

BARLEY

	3.25
Six Row Barley	

	4.00
Beardless California Success	

	3.25
Blue Hulless	

OATS

	Per 100 lbs.
Banner Montana Grown	3.00
Swedish Select Montana Grown	3.00
Big Four	3.00
Sixty Day. (Write for Price.)	

SPELTZ

	3.50
Speltz	

RYE

	Per bu. 56 lbs.
Spring Montana Grown	2.25
Winter Montana Grown	2.25

WHEAT

	Per bu. 60 lbs.
Marquis	2.25
Durum or Macaroni (Very Choice Black Bearded)	2.25
Subject to Market Changes.	

FLAX

	Per bu. 56 lbs.
Russian or Brown	2.75
Not Guaranteed Free From Mustard. Subject to Market Changes.	

CORN

	Per bu. 56 lbs.
Northwestern Dent	3.75
Minnesota No. 13	3.75
North Dakota White Flint	4.25
North Dakota Yellow Flint	4.25
Gehu Flint (Very Early)	4.25
Yellow Fodder	3.00

ALPHANO INOCULANT

	1.00
2 Pound Can, 1 Acre Size	

	8.00
20 Pound Can, 10 Acre Size	

RYDE'S CALF MEAL

	7.00
Per 100 lbs.	
25 lb. Sacks	1.80

50 lb. Sacks 3.55
Quality of Ryde's Calf Meal is Fully Equal to

Blatchford's.

OIL MEAL

	6.00
From Pure Flax	

POULTRY FEED

	Per 100 lbs.
Mixed Scratch Feed	2.75
Glacier Chick Feed	3.25
Globe Egg Mash	4.25
Globe Chick Buttermilk Mash	6.00
Conkey's Chick Buttermilk Starting Feed (10c per lb. in Small Quantities)	8.50

SEED POTATOES

	Ask for Prices
Early Ohio, Idaho Rural, Blue Victor. Netted Gem	

5% additional will be charged in quantities of less than 1 bushel or 100 pounds.

Vegetable Seed Planting Table

Per Acre		
Asparagus	1 oz. to 50 ft. drill	4 to 5 lbs.
Beans, Dwarf	1 lb. to 100 ft. drill	1 to 1½ bu.
Beans, Pole	1 lb. to 100 hills	20 to 30 lbs.
Beets, Garden	1 oz. to 50 ft. drill	5 to 6 lbs.
Beets, Mangel	2 oz. to 100 ft. drill	8 lbs.
Cabbage	1 oz. to 3,000 plants	4 oz.
Carrot	1 oz. to 100 ft. drill	4 lbs.
Cauliflower	1 oz. to 2,000 plants	.5 oz.
Celery	1 oz. to 7,000 plants	4 oz.
Celeriac	1 oz. to 3,000 plants	1 lb.
Corn, Sweet	1 lb. to 50 hills	6 to 8 lbs.
Corn, Salad, or Fetticus	3 oz. to 100 ft. drill	
Cucumber	1 oz. to 60 hills	2 to 3 lbs.
Egg Plant	1 oz. to 1,000 plants	.4 oz.
Endive	1 oz. to 300 ft. drill	3 lbs.
Kale or Borecole	1 oz. to 150 ft. drill	2 lbs.
Kohlrabi	½ oz. to 100 ft. drill	2 lbs.
Leek	1 oz. to 100 ft. drill	4 lbs.
Lettuce	2 oz. to 150 ft. drill	4 to 5 lbs.
Melon, Musk	1 oz. to 60 hills	2 to 3 lbs.
Melon, Water	3 oz. to 100 hills	
Mustard	1 oz. to 100 ft. drill	4 lbs.
Onions	1 oz. to 100 ft. drill	4 to 5 lbs.
Onions for Sets	In drills	60 to 90 lbs.
Onion Sets	1 qt. to 20 ft. drill	8 bu.
Parsley	1 oz. to 125 ft. drill	.8 lbs.
Parsnips	1 oz. to 100 ft. drill	4 lbs.
Peas	1 lb. to 60 ft. drill	2 to 2½ bu.
Pepper	1 oz. to 1,500 plants	3 oz.
Pumpkin	¼ lb. to 100 hills	4 to 6 lbs.
Radish	1 oz. to 100 ft. drill	8 to 10 lbs.
Ruta Baga	1 oz. to 150 ft. drill	2 to 3 lbs.
Balsify, or Vege- table Oyster	1 oz. to 60 ft. drill	10 lbs.
Spinach	1 oz. to 100 ft. drill	10 to 12 lbs.
Squash	4 oz. to 100 hills	3 to 4 lbs.
Tomato	1 oz. to 3,000 plants	¼ lb.
Turnip	1 oz. to 150 ft. drill	2 to 3 lbs.
Dill	1-3 oz. to 100 ft. drill	.9 oz.
Marjoram	1 oz. to 1,500 plants	
Sage	1 oz. to 1,000 plants	4 oz.
Summer Savory	1 oz. to 2,000 plants	


Field Seed Planting Table

	Lbs. per bu.	Quantity per acre
Clover—		
Alfalfa	.60	8 to 10 lbs.
Grimm Alfalfa		5 to 8 lbs.
Alslike	.60	6 to 8 lbs.
Medium Red	.60	8 to 12 lbs.
Mammoth Red	.60	8 to 12 lbs.
Sweet, hulled	.60	10 to 15 lbs.
Sweet, unhulled	.18	15 to 20 lbs.
White	.60	5 to 8 lbs.
Grasses—		
Bromus Inermis	.14	12 to 16 lbs.
Kentucky Blue Grass (solid seed)	.14	20 to 30 lbs.
Orchard Grass	.14	20 to 25 lbs.
Red Top (solid seed)	.14	10 to 12 lbs.
Timothy	.45	10 to 12 lbs.
Lawn Grass	.1 oz.	350 sq. ft.
Western Rye or Slender Wheat Grass	.14	15 to 20 lbs.
Tall Meadow Oat Grass	.14	20 to 30 lbs.
Field Seeds—		
Barley	.48	96 to 100 lbs.
Buckwheat	.50	50 to 60 lbs.
Corn, In hills	.56	8 to 10 lbs.
Corn in drills for silo	.56	15 to 20 lbs.
Corn in drills for fodder	.56	25 to 30 lbs.
Flax, broadcast	.56	18 to 20 lbs.
Millet, broadcast	.48	30 to 40 lbs.
Oats, in drills	.32	.64 to 80 lbs.
Peas, In drills	.60	1 to 2 bu.
Peas, broadcast	.60	2 to 3 bu.
Rape, Dwarf Essex—		
Alone, broadcast	.60	.5 lbs.
Alone, in drills	.60	.2 lbs.
With grain	.60	1 to 2 lbs.
Rye, broadcast	.56	.56 lbs.
Sorghum, broadcast	.57	.50 to 60 lbs.
Speltz, In drills	.40	.2 bu.
Sudan Grass, broadcast		15 to 20 lbs.
Vetch, broadcast	.60	.50 to 60 lbs.
Wheat, In drills	.60	.50 to 60 lbs.
Sunflower, Mammoth Russian		.5 lbs.

The Savo Steel All-Year-Round Flower and Plant Box

Self-watering and Sub-irrigating.
For Windows, Porches, Sun Parlors, Etc.
Leak Proof and Rust Proof.
Fill with Water Once a Week.
No Surface Watering.

Model C, 8 in. high, 9½ in. wide, 35 in. long, \$5.00.
Model D, 8 in. high, 9½ in. wide, 41 in. long, \$5.50.
Model E, 8 in. high, 12 in. wide, 12 in. long, \$4.00.



INDEX

	Page		Page
Alfalfa	24-25	Lawn Grass	26
Alphano Inoculant	27	Leek	7
Alyssum, Sweet	14	Lettuce	8
Asparagus	1	Mangel Wurzel	3
Asters	14	Marigold	15
Bachelor's Button	14	Marjoram, Sweet	13
Balsam	14	Marvel of Peru	14
Barley	20	Meadow Fescue	26
Beans	2	Mignonette	15
Beets	3	Millet	26
Blue Grass	26	Morning Glory	15
Borecole	7	Moss Rose	15
Bromus Inermis	26	Muskmelon	8
Buckwheat	20	Mustard	8
Cabbage	4	Nasturtium	15
California Poppy	14	Oats	17
Calliopsis	14	Onions	9
Candytuft	14	Orchard Grass	26
Cane, Southern	21	Pansy	15
Caraway	13	Parsley	10
Carnations	14	Parsnips	10
Carrots	5	Peas	11
Castor Oil Bean	15	Peas, Canadian Field	21
Cauliflower	5	Peppers	10
Celeriac	6	Petunias	15
Celery	5	Phlox	15
Centaurea	14	Pinks	15
Chervil	6	Pop Corn	6
Chicory	6	Poppies	15
Clovers	25, 26	Portulaca	15
Coreopsis	14	Potatoes	11
Corn, Field	22-23	Poultry Supplies	30-32
Corn, Sweet	6	Price List, Vegetable Seed	28-29
Cornflower	14	Pumpkin	10
Corn Salad	6	Radishes	12
Cosmos	14	Rape, Dwarf Essex	21
Cucumbers	7	Red Top	26
Cucumber Vine, Wild	14	Ricinus	15
Cypress Vine	14	Rutabaga	13
Dairy Foods, etc.	30	Rye	19
Dianthus	15	Rye Grass	26
Daisy, English	14	Sage	13
Dill	13	Salsify	12
Egg Plant	7	Savory, Summer	13
Emmer	20	Snapdragon	16
Endive	7	Speltz	20
English Daisy	14	Spinach	12
Eschscholtzia	14	Squash	13
Fertilizer	30	Stocks	15
Fetticus	6	Sudan Grass	21
Flax	19	Sunflower, Mammoth Russian	21
Flower Seeds	14-16	Sweet Peas	16
Four O'Clock	14	Sweet William	15
Garlic	7	Timothy	26
Garden Tools, etc.	27	Tomato	13
Grasses	26	Turnip	13
Herbs	13	Vegetable Oyster	12
Hollyhocks	14	Verbena	16
Insecticides	30	Vetch	20
Kale	7	Watermelon	9
Kochia	15	Wheat	18-19
Kohl Rabi	7	Zinnia	16
Lady Slipper	14		
Larkspurs	15		

